





Fisheries Management in Swan Lake



Maine Department of Inland Fisheries & Wildlife
Region B Fisheries – Wes Ashe, Jason Seiders, Scott Davis

Swan Lake



- ~1,400 surface acres
- Average depth = 34 ft., Max depth = 87 ft.
- Above average water quality
- Oligotrophic – low nutrient content & algal production
- Moderate development along perimeter



Swan Lake – Current Regulations



Ice Fishing:

- Open in January & February only
- 2 lines/angler
- Daily bag limit – 2 salmon - 14”, 2 togue - 18”



Open Water Fishing:

- Open April – September
- Closed October – December - togue spawning
- Same daily bag limits



Swan Lake – Stocking History



YEAR	BROOK TROUT	SALMON
2000	7450	850
2001	4100	850
2002	4100	850
2003	4100	850
2004	5320	850
2005	4100	0
2006	4100	0
2007	2285	600
2008	2200	500
2009	2250	600
2010	2350	600
2011	2350	600
2012	2400	600
2013	2500	600
2014	2500	600
2015	2000	600

Swan Lake – Fish Assemblage



Landlocked salmon

Lake trout

Brook trout

Rainbow smelt

Smallmouth bass

Largemouth bass

White perch

Yellow perch

Chain pickerel




White sucker

Brown bullhead

American eel

Pumpkinseed sunfish

Several minnow species



****21 total fish species****

Togue & Salmon



Swan Lake Togue

- Stocked by MDIFW from 1971-1981
- Population now wild & self-sustaining
- Consume a variety of fish & insects



Swan Lake Salmon

- Stocked by MDIFW since 1940
- Stocking numbers have fluctuated
- Population has few wild fish
- Consume smelt almost exclusively






Average Salmon Length – Volunteer Anglers

Bag Limit:

2 fish, 14"






Salmon Catch Rates – Volunteer Anglers

Bag Limit:

2 fish, 14"

Angling Hours per Fish






Average Togue Length – Volunteer Anglers

Bag Limit:

1 fish, 23"

2 fish, 18"






Togue Catch Rates – Volunteer Anglers

Bag Limit:

1 fish, 23"

2 fish, 18"


Angling Hours per Fish



Average Salmon Length - Trapnetting

Bag Limit:



2 fish, 14"



Average Salmon Length - Trapnetting

Bag Limit:

2 fish, 14"







Average Salmon Weight - Trapnetting

Bag Limit:

2 fish, 14"




©Joseph Tomelleri

Average Togue Length - Trapnetting

Bag Limit:

1 fish, 23"

2 fish, 18"






Average Togue Weight - Trapnetting

Bag Limit:

1 fish, 23"


2 fish, 18"






Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040



VS.





Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040
Ice Fishing Season	Jan & Feb	Jan & Feb





Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040
Ice Fishing Season	Jan & Feb	Jan & Feb
# of Anglers	843	2872





Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040
Ice Fishing Season	Jan & Feb	Jan & Feb
# of Anglers	843	2872
# of Parties	286	1053





Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040
Ice Fishing Season	Jan & Feb	Jan & Feb
# of Anglers	843	2872
# of Parties	286	1053
# of Brook Trout Harvested	33	435





Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040
Ice Fishing Season	Jan & Feb	Jan & Feb
# of Anglers	843	2872
# of Parties	286	1053
# of Brook Trout Harvested	33	435
# of Salmon Harvested	23	168







Winter Creel Survey Results

	Swan Lake - 2015	Lake St. George - 2014
Acreage	1388	1040
Ice Fishing Season	Jan & Feb	Jan & Feb
# of Anglers	843	2872
# of Parties	286	1053
# of Brook Trout Harvested	33	435
# of Salmon Harvested	23	168
# of Togue Harvested	73	--



Summary

- Salmon (& brook trout) are stocked at high densities, especially in a water w/ wild togue & sensitive rainbow smelt populations
- Volunteer angler data showed decline in salmon/togue size, and a dramatic increase in catch rates
- Trapnet data revealed a precipitous decline in salmon/togue size over past two decades
- Creel survey indicated low angler use and few salmon (or brook trout) harvested





Future Management

- 1) Decrease salmon stocking number from 600 to 400
- 2) Extend ice fishing season to include March
- 3) Reduce brook trout stockings
 - Provide year-round brook trout program in Goose R.
- 4) Assess togue and salmon populations with more frequent trapnetting and creel surveys moving forward



The End

Questions? Comments?



Thank you.