



**unisource**

MATERIAL SAFETY DATA SHEET 859 / 4119631

WH 131

ITEM NUMBER: U22901

VERSION 3 EFFECTIVE DATE: 9/1/05 SUPERCEDES: 4/12/01 PREPARED BY: Regulatory Compliance

Section(s) Revised: II, III, VI, VIII

IDENTITY (As Used On Label and List): Base Shooter Gelling Baseboard Cleaner & Stripper

EMERGENCY MEDICAL Telephone# 1-866-836-8855 (24 HRS)

Outside the U.S.A. Call 952-852-4646

PRODUCT HAZARD RATINGS (NFPA): Health = 1, Fire = 2, Reactivity = 0, Protective Equipment = B

(Rating Legend: 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

**SECTION I**

Unisource Worldwide, Inc.  
6600 Governors Lake Parkway  
Norcross, GA 30071  
www.unisourcellk.com

TELEPHONE NUMBER FOR INFORMATION: 1-770-447-9000  
DATE PRINTED: August 18, 2005  
NAME OF PREPARER: Regulatory Compliance  
MSDS# MS0600096

**SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION**

Chemical Names	CAS#	SARA Title III SEC 313	ACGIH TLV/TWA	OSHA PEL	% By Wt.
2-Butoxyethanol	111-76-2	Yes	25 ppm*	50 ppm / NE	20-30
Tetraosodium EDTA	64-02-8	No	NA / NE	NA / NA	1-5
Organic phosphate ester	68412-53-3	Yes	1mg / m3 / NE	1mg/m3 / NE	1-5
Liquified petroleum gas mixture	68476-86-8	No	See below	-	10-20
Propan	74-98-6	No	1000 ppm / NE	1000 ppm / NE	(76-84)
n-Butane	106-97-8	No	1000 ppm / NE	NE / NE	(16 - 24)

\* Skin

Balance of ingredients are non-hazardous or below reportable levels.

**SECTION III - PHYSICAL CHARACTERISTICS**

Boiling Point: NA Vapor Pressure (psig): 115+/-5@130F Specific Gravity (H20=1): <1  
Solubility/Water: Slight Vapor Density (AIR=1): ND Evaporation Rate (Ether=1): ND  
Appearance and Odor: Semi-stable, foaming spray, pine solvent odor.

**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**

Aerosol Flammability: Product is not required to be labeled as flammable as described in 16 CFR 1500.3 and 1500.45.

Flashpoint: <0F (Propellant); 100F (Concentrate)

Flammable Limits - % Volume In Air (Propellant): LEL: 1.9 UEL: 9.5

Extinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

Special Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pluse equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Unusual Fire and Explosion Hazards: At elevated temperatures (over 54C-130F) containers exposed to direct flame or heat contact should be cooled with water to prevent weakening of container structure.

**SECTION V - REACTIVITY DATA**

Stability: Stable Hazardous Polymerization: NA  
Incompatibility (Materials to Avoid): Strong oxidizing materials, reactive metals, heat and open flame.  
Hazardous Decomposition Products: Carbon dioxide, carbon monoxide and additional toxic chemicals may be formed in small amounts. Conditions to Avoid: Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or sparks. Dropping of containers may cause bursting.

**SECTION VI - HEALTH HAZARD DATA**

Medical Conditions Generally Aggravated by Exposure: Preexisting skin or eye disorders may be aggravated by exposure to this product.  
Emergency and First Aid Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing.



**unisource**®

**MATERIAL SAFETY DATA SHEET 859 / 4119631**

Flush skin with water, follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. Ingestion: Get medical attention.

**NOTE TO PHYSICIAN:** There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition.

**CARCINOGENICITY:**

No regulated ingredients.

**TOXICITY INFORMATION:**

2-Butoxyethanol:

2-butoxyethanol may affect the liver and kidneys and may increase red blood cell hemolysis.

LC50 Inhalation (Rat): male: 486 ppm ; female: 450 ppm

Tetrasodium EDTA:

LD50 Oral (Rat): 3030 mg/kg

Organic phosphate ester:

LD50 Oral (Rat): 3630 mg/kg

---

#### **SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**

---

**Releases or Spilled:** Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material. **Waste Disposal Method:** Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations.

**Handling And Storing:** Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures above 130F (54C). Store as Level 1 Aerosol (NFPA 30B).

**Other Precautions:** Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

---

#### **SECTION VIII - EMPLOYEE PROTECTION**

---

**Respiratory Protection (Type):** None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure.

**Ventilation:** General ventilation is adequate under normal conditions, mechanical ventilation is optional.

**Protective Gloves:** Chemical resistant gloves are recommended - consult glove manufacturer to determine the proper type for a specific operation.

**Eye Protection:** Chemical safety glasses are recommended.

**Other Protective Clothing or Equipment:** Wear impervious clothing to prevent skin contact.

**Work/Hygienic Practices:** Ensure strict sanitary conditions are conformed to when working around chemicals.

Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

---

#### **SECTION IX - OTHER REGULATORY CONTROLS**

---

Government Shipping Name: Consumer Commodity Hazard Class: ORM-D

---

#### **SECTION X - TRANSPORTATION REQUIREMENTS (D.O.T. CLASSIFICATION)**

---

Shipping Name: Consumer Commodity Hazard Class: ORM-D

NG-- Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined  
While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.

Government Shipping Name: Consumer Commodity Hazard Class: ORM-D

EFFECTIVE DATE: 9/1/05 SUPERCEDES: 4/12/01 PREPARED BY: Regulatory Compliance