



EPA Connecticut River Geographic Response Strategy Brattleboro-Cheshire County CR-NH-10A				
Tactic #	Purpose	Response Equipment	<b>Deployment Resources</b>	Deployment Notes
DV-01	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	1200 ft protected water boom 6 marine anchor system 4 shoreline anchor system Testing Date	2 response boats	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.
SR-01	Remove spilled oil that has been diverted to a designated recovery site accessible from shore	•	·	Set up shoreside recovery tactic at general location depicted on map. Some access points located at private residences. Access may be difficult.





Putney Landing bot ramp looking downriver/south. Site of DV-01 is to the left/upriver (June 2021)



Approach to Putney Landing boat ramp looking downriver/south (June 2021)

## Navigational Hazards Special Considerations

River conditions, including flow rate and flood stage, vary depending on time of year and heavy rain and/or snowfall. Survey site prior to deployment and modify deployment strategy as appropriate. If ice is present, reevaluate strategy.