| Agency | Name | and | Address |
|--------|------|-----|---------|

Lead Dust Sampling Report

| | <u> Lead Dust</u> | Sam | iping Keport | | | | |
|---|-------------------|---|---|--|--|--|--|
| PART I: GENERAL INFORMATION | | | | | | | |
| OWNER'S NAME: | | Proji | PROJECT NUMBER: | | | | |
| OWNER'S MAILING ADDRESS: | | TESTING DATE: | | | | | |
| OWNER'S TELEPHONE NUMBER: | | POINT OF CONTACT (IF DIFFERENT THAN OWNER): | | | | | |
| PHYSICAL LOCATION OF TESTING SITE: | | LABORATORY CHAIN OF CUSTODY NUMBER: | | | | | |
| PART II: VISUAL ASSESSMENT | | | | | | | |
| SUMMARY OF VISUAL ASSESSMEN | NT: | | | | | | |
| • Is there visual evidence of dust and debris in the unit? Yes No (check one) If Yes, DO NOT collect dust samples. Unit needs to be re-cleaned. | | | | | | | |
| PART III: SUMMARY OF LEAD DUST SAMPLING RESULTS): | | | | | | | |
| SAMPLING LOCATION | RESULT UG/FT2 | | ADDITIONAL ACTION NEEDED (NONE/RE-CLEAN) | | | | |
| Entry Floor | | | | | | | |
| LIVING ROOM FLOOR | | | | | | | |
| CHILD'S BEDROOM FLOOR KITCHEN FLOOR | | | | | | | |
| LIVING ROOM WINDOW SILL | | | | | | | |
| BEDROOM WINDOW SILL | | | | | | | |
| KITCHEN WINDOW SILL | | | | | | | |
| OTHER | | | | | | | |
| | | | | | | | |
| PART IV: WHAT DO THE RESUL | LTS MEAN? | | | | | | |
| This Lead Dust Sampling was conducted to determine whether any lead dust hazards exist in likely locations in a residence with no visible dust and no chipping or peeling paint. If a result is equal to or greater than 40 ug/ft² for floors or 250 ug/ft² for window sills, then there is a lead dust hazard in the area from which the sample was taken. Floors and window sills for which samples exceed these levels should be re-cleaned to prevent exposure of residents to lead hazards. Based on recent studies, the National Center for Healthy Housing recommends cleaning to achieve levels below 10 ug/ft² for floors and 100 ug/ft² for window sills to fully protect young children, | | | | | | | |
| Carpeted floors were not tested as part of this Lead Dust sampling. Carpets should always be steam cleaned as part of unit turnover. If carpets are removed, a dust sample should be collected after cleaning the floors and before new carpets are installed. | | | | | | | |
| Need help on how to clean? A lead dust cleaning guide is available online at www.maine.gov/dhhs/eohp/lead/index. | | | | | | | |
| For more information on lead hazards and lead inspections, go to http://www.maine.gov/dep/rwm/lead/index.htm. | | | | | | | |
| SIGNATURE OF PERSON CONDUCTING THE SAMPLING: | | | | | | | |
| PRINTED NAME: | | DEP | CERTIFICATION CATEGORY & CERTIFICATE NUMBER EXPIRATION DATE | | | | |
| | | | | | | | |
| SIGNATURE | | | | | | | |