

III. Hypoallergenic Formulas (typically for cow's milk and soy protein allergy and/or malabsorptive disorders)

Hydrolyzed formulas are similar to milk based and soy based formulas with changes made to the protein component. They meet the requirements established by the American Academy of Pediatrics, Committee on Nutrition for the minimum level of 29 nutrients and the maximum level of 9 nutrients. The milk protein (whey or casein) is heat treated and broken down enzymatically to create a protein that is easier to digest. These infant formulas were designed for infants who have problems with the digestion of protein or severe allergy problems to protein. In many cases these formulas are provided to infants with feeding problems or enzyme deficiencies, such as cystic fibrosis. The fat in these formulas may contain medium-chain triglycerides (MCT), which are also easier to digest and absorb. Due to the changes in the fat component, some of these formulas are also useful for problems with fat malabsorption, short gut syndrome and severe chronic diarrhea.

Elemental (amino acid) formulas are indicated for confirmed diagnoses of: eosinophilic esophagitis, eosinophilic enteropathy, documented anaphylaxis (pending consultation with allergist), or upon consultative recommendation of an allergist or pediatric gastroenterologist.

All hydrolysate and elemental formulas must be prescribed by a licensed health care provider prior to issuance. According to WIC Federal Regulations (7 CFR, Part 246), monthly formula issuance amounts are based on infant age, feeding choice (partially breastfed or fully formula fed) and form of formula (powder, concentrate, ready to feed). Partially breastfed infants needing supplemental formula may receive a maximum of one can of powdered formula in the first 30 days of life, and will have monthly issuance tailored according to individual need throughout the rest of the first year. WIC maximum formula issuance amounts for all age groups, infant feeding choices and forms of formula are included for each item listed.

For WIC participants who are enrolled in the MaineCare program:

- **Hydrolysate formulas** will be provided by WIC up to the federal maximum issuance per month. Any medically necessary amounts needed over WIC's federal maximum will be provided by MaineCare.
- All **elemental formulas** will be provided by MaineCare

If the infant is not enrolled in MaineCare:

- The Maine CDC WIC Nutrition Program will provide the formula in amounts not to exceed the federal maximum issuance per month.

Prescriptions for these formulas must include:

- **specific formula name**
- **diagnosis**
- **length of time the product is needed**
- **amount of formula prescribed per day**

Health care providers may use the **Maine CDC WIC Nutrition Program/MaineCare Request/Prior Authorization for Medical Formula/WIC-Eligible Nutritionals** form to obtain approval and prior authorization for MaineCare coverage. **This form must be sent to the local WIC office in order for MaineCare to approve coverage of the formula prescribed.**

NOTE: Hypoallergenic formulas not included on this formulary may be authorized for issuance through WIC on a case-by-case basis.

Hydrolysates for Infants (less than 12 months of age)																									
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts																				
Gerber Extensive HA (Nestle Nutrition)	Nutritionally complete, 100% extensively hydrolyzed whey protein formula 49% of fat from MCT oil	Powder: 14.1 oz. cans, 6 cans/case Reconstitution: 96 fl. oz. at standard dilution NDC: 50000-598526	CHO: corn maltodextrin, potato starch PRO: enzymatically hydrolyzed whey protein isolate (from cow's milk) FAT: MCT, soy, high oleic sunflower, high-2-palmitic vegetable, M. alpina, and C. cohnii oils and citric acid esters of mono- and di-glycerides (CITREM) Probiotic: B. lactis Contains vitamins and minerals Standard dilution: 20 cal./fl. oz. Osmolality = 220 mOsm/kg H ₂ O	For infants 0-12 months for the management of cow's milk protein allergy	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	9 cans	10 cans	7 cans												
					Non-breastfed infants	0-3 months	4-5 months	6-11 months																	
Powder: 14.1 oz.	9 cans	10 cans	7 cans																						
<table border="1"> <thead> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	4 cans																	
Partially breastfed infants	1-3 months	4-5 months	6-11 months																						
Powder: 14.1 oz.	4 cans	5 cans	4 cans																						
Nutramigen® and Nutramigen® with Enflora™ LGG® (Mead Johnson Nutrition)	Nutritionally complete extensively hydrolyzed protein formula for infants. Lactose Free Sucrose Free Galactose Free Note: Nutramigen is available in ready to feed only. Nutramigen with Enflora LGG is available in powder only.	Powder: 12.6 oz. cans, 6 cans/case (use packed level scoops) Reconstitution: 87 fl. oz. at standard dilution NDC: 0087-123941 Ready to Feed: 32 oz. cans, 6 cans/case NDC: 0087-049901 -OR- 2 oz nursettes, 48 nursettes per case NDC: 0087-143741 -OR- 8 oz. bottle, 24 bottles/case NDC: 0087-510246	CHO: corn syrup solids, modified corn starch PRO: casein hydrolysate (from milk), L-cystine, L-tyrosine, L-tryptophan; L-carnitine (RTU only) FAT: palm olein, soy, coconut, high oleic sunflower, M. alpina, and C. cohnii oils, Probiotic: <i>Lactobacillus rhamnosus GG</i> (powder only) Contains vitamins and minerals Standard dilution: 20 cal./fl. oz. Osmolality= 300 mOsm/kg H ₂ O (powder) 270 mOsm/kg H ₂ O (8 oz. & 32 oz. RTU) 320 mOsm/kg H ₂ O (2 oz RTU)	Formula for infants and children with sensitivity to intact proteins of milk and other foods, infants with galactosemia, or infants with severe or multiple food allergies, including allergy to intact proteins in cow's milk and soy formulas. If used as a milk substitute for children >12 months, total dietary calcium should be assessed for adequacy.	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 12.6 oz.</td> <td>10 cans</td> <td>11 cans</td> <td>8 cans</td> </tr> <tr> <td>RTF (32 oz.)</td> <td>26 bottles</td> <td>28 bottles</td> <td>20 bottles</td> </tr> <tr> <td>RTF (2 oz.)</td> <td>416 nursettes</td> <td>456 nursettes</td> <td>321 nursettes</td> </tr> <tr> <td>RTF (8 oz. bottles in 6-packs)</td> <td>17 6-packs</td> <td>19 6-packs</td> <td>13 6-packs</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 12.6 oz.	10 cans	11 cans	8 cans	RTF (32 oz.)	26 bottles	28 bottles	20 bottles	RTF (2 oz.)	416 nursettes	456 nursettes	321 nursettes	RTF (8 oz. bottles in 6-packs)	17 6-packs	19 6-packs	13 6-packs
					Non-breastfed infants	0-3 months	4-5 months	6-11 months																	
Powder: 12.6 oz.	10 cans	11 cans	8 cans																						
RTF (32 oz.)	26 bottles	28 bottles	20 bottles																						
RTF (2 oz.)	416 nursettes	456 nursettes	321 nursettes																						
RTF (8 oz. bottles in 6-packs)	17 6-packs	19 6-packs	13 6-packs																						
<table border="1"> <thead> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 12.6 oz.</td> <td>5 cans</td> <td>6 cans</td> <td>4 cans</td> </tr> <tr> <td>RTF (32 oz.)</td> <td>12 bottles</td> <td>14 bottles</td> <td>10 bottles</td> </tr> <tr> <td>RTF (2 oz.)</td> <td>192 nursettes</td> <td>237 nursettes</td> <td>169 nursettes</td> </tr> <tr> <td>RTF (8 oz. bottles in 6-packs)</td> <td>8 6-packs</td> <td>9 6-packs</td> <td>7 6-packs</td> </tr> </tbody> </table>	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 12.6 oz.	5 cans	6 cans	4 cans	RTF (32 oz.)	12 bottles	14 bottles	10 bottles	RTF (2 oz.)	192 nursettes	237 nursettes	169 nursettes	RTF (8 oz. bottles in 6-packs)	8 6-packs	9 6-packs	7 6-packs					
Partially breastfed infants	1-3 months	4-5 months	6-11 months																						
Powder: 12.6 oz.	5 cans	6 cans	4 cans																						
RTF (32 oz.)	12 bottles	14 bottles	10 bottles																						
RTF (2 oz.)	192 nursettes	237 nursettes	169 nursettes																						
RTF (8 oz. bottles in 6-packs)	8 6-packs	9 6-packs	7 6-packs																						

Hydrolysates for Infants (less than 12 months of age)								
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts			
Similac Expert Care® Alimentum® (Abbott Nutrition)	Nutritionally complete hypoallergenic infant formula, containing a predigested protein for babies with cow's milk protein allergies 33% fat from MCT Lactose Free. Gluten Free RTF is also Corn Free.	Powder: 12.1 oz. cans, 6 cans/case (use unpacked level scoops) Reconstitution: 87 fl. oz. at standard dilution NDC: 70074-0647-12 Ready to Feed: 32 oz. bottles, 6 cans/case; NDC: 70074-0575-13 -OR- 8 oz. bottles, 24 bottles/case; NDC: 70074-0575-09	CHO: corn maltodextrin, sugar (powder); sugar, modified tapioca starch (RTF) PRO: casein hydrolysate, L-cystine, L-tyrosine, L-tryptophan FAT: high oleic safflower, MCT, soy, M. alpina and C. cohnii oils, (powder); safflower, MCT, soy, M. alpina and C. cohnii oils (RTF) Contains vitamins and minerals Standard dilution: 20 cal./fl.oz. Osmolality= 320 mOsm/kg H ₂ O (powder); 370 mOsm/kg H ₂ O (RTF)	For infants with colic symptoms due to protein sensitivity, including severe food allergies, sensitivity to intact protein, protein maldigestion or fat malabsorption	Non-breastfed infants	0-3 months	4-5 months	6-11 months
					Powder: 12.1 oz.	10 cans	11 cans	8 cans
					RTF (32 oz.)	26 bottles	28 bottles	20 bottles
					RTF (8 oz. bottles in 6-pks)	17 6-packs	19 6-packs	13 6-packs
					Partially breastfed infants			
					Powder: 12.1 oz.	5 cans	6 cans	4 cans
					RTF (32 oz.)	12 bottles	14 bottles	10 bottles
RTF (8 oz. bottles in 6-pks)	8 6-packs	9 6-packs	7 6-packs					
Pregestimil® (Mead Johnson Nutrition™)	Nutritionally complete infant formula with easily digested protein, fat and carbohydrate sources. 55% of fat from MCT. Lactose Free Galactose Free	Powder: 16 oz. cans, 6 cans/case (use packed level scoops) Reconstitution: 112 fl. oz. at standard dilution NDC: 0087-036701 Ready to Feed: 20 cal/ounce: 2 oz. nursettes, 48 nursettes/case NDC: 0087-143341 -OR- 24 cal/ounce: 2 oz. nursettes, 48 nursettes/case NDC: 0087-143441	CHO: corn syrup solids, modified corn starch; dextrose (powder only) PRO: casein hydrolysate (from milk), L-amino acids FAT: MCT, soy, high oleic safflower or sunflower, M. alpina, and C. cohnii oils; corn oil (powder only) Contains vitamins and minerals Standard dilution: 20 cal./fl.oz. Osmolality= 320 mOsm/kg H ₂ O (powder) 290 mOsm/kg H ₂ O (20 cal/oz RTU) 340 mOsm/kg H ₂ O (24 cal/oz RTU)	For infants with fat malabsorption or steatorrhea, which may be associated with cystic fibrosis, short bowel syndrome, intractable diarrhea, or severe protein-calorie malnutrition. If used as a milk substitute for children >12 months, total dietary calcium should be assessed for adequacy. Not recommended for use in very low birth weight infants.	Non-breastfed infants	0-3 months	4-5 months	6-11 months
					Powder: 16 oz.	7 cans	8 cans	6 cans
					RTF (2 oz.)	416 nursettes	456 nursettes	321 nursettes
					Partially breastfed infants			
					Powder: 16 oz.	3 cans	4 cans	3 cans
					RTF (2 oz.)	192 nursettes	237 nursettes	169 nursettes

Hydrolysates for Children (older than 12 months of age)					
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts
Nutramigen® with Enflora LGG Toddler (Mead Johnson Nutrition)	Extensively hydrolyzed formula designed for older infants and children aged 9 – 36 months with cow's milk allergy Lactose Free Galactose Free	Powder: 12.6 oz., 6 cans/case (use packed level scoops) Reconstitution: 86 fl. oz. at standard dilution NDC: 0087-510734	CHO: corn syrup solids, fructose, modified corn starch PRO: casein hydrolysate (from milk), L-amino acids FAT: palm olein, soy, coconut, high oleic sunflower, M. alpina, and C. cohnii oils, Probiotic: <i>Lactobacillus rhamnosus GG</i> Contains vitamins and minerals, including increased calcium and vitamins to meet needs of older infants and toddlers Standard dilution: 20 cal./fl. oz. Osmolality= 300 mOsm/kg H ₂ O	For older infants and children aged 9 – 36 months with cow's milk or soy formula allergy	Non-breastfed infants 9-11 months
					Powder: 12.6 oz. 8 cans
					Partially breastfed infants 9-11 months
					Powder: 12.6 oz. 4 cans
					Children
					Powder: 12.6 oz. 10 cans
Pediasure Peptide 1.0 (Abbott Nutrition)	Nutritionally complete peptide-based formula for children. Gluten free Suitable for lactose intolerance Low residue Kosher Halal	Ready to feed: 8 oz bottles, 24 bottles/case (unflavored, vanilla, strawberry) NDC (for single bottle): Unflavored: 70074-0621-24 Vanilla: 70074-0621-20 Strawberry: 70074-0621-22	CHO: corn maltodextrin, short-chain fructooligosaccharides; sucrose (flavored only) PRO: whey protein hydrolysate, hydrolyzed sodium caseinate FAT: interesterified canola, MCT, canola oils Contains vitamins and minerals Prepared dilution: 30 cal./fl.oz. Osmolality = 390 mOsm/kg H ₂ O (flavored); 250 mOsm/kg H ₂ O (unflavored)	For children 1-13 years of age with malabsorption, maldigestion or other GI conditions.	Children
					RTF: 8 oz. 113 bottles
Pediasure Peptide 1.5 (Abbott Nutrition)	Nutritionally complete peptide-based medical food. Contains Nutraflora® scFOS®, prebiotic fiber Gluten free Suitable for lactose intolerance Kosher Halal	Ready to feed: 8 oz bottles, 24 bottles/case (vanilla) NDC (for single bottle): 70074-0566-56	CHO: corn maltodextrin, short-chain fructooligosaccharides PRO: whey protein hydrolysate, hydrolyzed sodium caseinate FAT: interesterified canola , MCT, canola oils Contains vitamins and minerals Prepared dilution: 45 cal./fl.oz. Osmolality = 450 mOsm/kg H ₂ O	For children 1-13 years old with malabsorption, maldigestion or other GI conditions who are fluid restricted, have increased caloric requirements, or are at risk of malnutrition	Children
					RTF: 8 oz. 113 bottles

Hydrolysates for Children (older than 12 months of age)					
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts
Peptamen Junior® (Nestlé Nutrition USA)	Complete peptide-based diet for children ages 1-10 with gastrointestinal impairment. For oral or tube feeding uses. Suitable for lactose intolerance Gluten Free Low Residue	Ready to Feed: 8.45 fl. oz. cans, 24 cans/case (unflavored, vanilla, chocolate, strawberry) NDC: Unflavored: 0065-9069-70 Vanilla: 0065-9070-70 Chocolate: 0065-9070-71 Strawberry: 0065-9070-72	CHO: maltodextrin, sugar, cornstarch, guar gum PRO: enzymatically hydrolyzed whey protein (from milk) FAT: MCT (coconut and/or palm kernel), soybean, canola oils Artificial sweeteners: acesulfame potassium and sucralose Contains vitamins and minerals Prepared dilution: 30 cal./fl. oz. Osmolality = 260 mOsm/kg H ₂ O (unflavored); 380 mOsm/kg H ₂ O (vanilla and chocolate); 400 mOsm/kg H ₂ O (strawberry)	For children age 1-13 with impaired GI function due to conditions such as short bowel syndrome, cerebral palsy, cystic fibrosis, Crohn's disease, chronic diarrhea, delayed gastric emptying, growth failure, and malabsorption	Children
					RTF: 8.45 oz.
Peptamen Junior® Fiber (Nestlé Nutrition USA)	Complete peptide-based diet with added fiber. For children ages 1-10 with gastrointestinal impairment. For oral or tube feeding uses. Suitable for lactose intolerance Gluten Free	Ready to Feed: 8.45 fl. oz. cartons, 24 cartons/case (vanilla) NDC: 0065-9068-71	CHO: maltodextrin, sugar, cornstarch, guar gum, PRO: enzymatically hydrolyzed whey protein (from milk) FAT: MCT (coconut and/or palm kernel), soybean, and canola oils Fiber: 1.8 gm./8.45 fl. oz. from pea fiber, fructooligosaccharides, inulin Artificial sweeteners: acesulfame potassium and sucralose Contains vitamins and minerals Prepared dilution: 30 cal./fl. oz. Osmolality = 390 mOsm/kg H ₂ O	For dietary management of GI-compromised children aged 1-10 years, including those with short bowel syndrome, cerebral palsy, cystic fibrosis, Crohn's disease, HIV/AIDS, malabsorption, chronic diarrhea, delayed gastric emptying, growth failure, or pancreatitis	Children
					RTF: 8.45 oz.

Hydrolysates for Children (older than 12 months of age)					
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts
Peptamen® Junior with Prebio™ (Nestlé Nutrition USA)	Nutritionally complete peptide-based medical food with added soluble fiber. For oral or tube feeding uses. Suitable for lactose intolerance Gluten Free	Ready to Feed: 8.45 fl. oz. cartons, 24 cartons/case NDC: Vanilla: 0065-9068-70 Chocolate: 98716-0364-15	CHO: sugar, maltodextrin, cornstarch, guar gum PRO: enzymatically hydrolyzed whey protein (from milk) FAT: MCT (coconut and/or palm kernel), soybean, canola oils Fiber: 0.9 gm/8.45 fl. oz. from Fructooligosaccharides, inulin Contains vitamins and minerals Prepared dilution: 30 cal./fl. oz. Osmolality = 365 mOsm/kg H ₂ O	For patients 1-13 years of age with impaired GI function, including chronic diarrhea, short-bowel syndrome, chronic pancreatitis, delayed gastric emptying, HIV/AIDS, malabsorption, radiation enteritis, hypoalbuminemia, and cystic fibrosis. Ideal for long-term tube feeding	Children
					RTF: 8.45 oz.
Peptamen Junior 1.5 (Nestlé Nutrition USA)	Complete peptide-based diet for children ages 1-10 with gastrointestinal impairment. For tube feeding use only. Suitable for lactose intolerance Gluten Free	Ready to Feed: 8.45 fl. oz. cartons, 24 cartons/case (unflavored) NDC: 98716-0073-63	CHO: maltodextrin, cornstarch, guar gum PRO: enzymatically hydrolyzed whey protein (from milk) FAT: MCT (coconut and/or palm kernel), soybean, canola oils, tuna oil Fiber: 1.4 gm/8.45 fl. oz. from Fructooligosaccharides, inulin Contains vitamins and minerals Prepared dilution: 45 cal./fl. oz. Osmolality = unavailable	For children ages 1-13 years old with impaired GI function who need calorically-dense feedings. Intended for tube feeding use only.	Children
					RTF: 8.45 oz.

Elemental/Amino Acid-Based Formulas for Infants (less than 12 months of age)																					
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts																
Alfamino Infant (Nestle Nutrition)	Nutritionally complete, hypoallergenic amino acid-based infant formula 43% of fat from MCT oils Lactose Free Gluten Free	Powder: 14.1 oz. (400g) cans, 6 cans/case (use unpacked level scoops) Reconstitution: 94 fl. oz. at standard dilution NDC: 13034-0788-21	CHO: corn syrup solids, potato starch, maltodextrin PRO: free amino acids FAT: MCT, soybean, high oleic sunflower, high-s-palmitic vegetable, M. alpina, and C. cohnii oils and citric acid esters of mono- and di-glycerides (CITREM) Contains vitamins and minerals Standard Dilution: 20 cal./fl. oz. Osmolality: 330 mOsm/kg H ₂ O	For infants 0-12 months with cow's milk protein allergy, multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, and short bowel syndrome (SBS) Specialist consultation recommended.	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td>Partially breastfed infants</td> <td>1-3 months</td> <td>4-5 months</td> <td>6-11 months</td> </tr> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	9 cans	10 cans	7 cans	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	4 cans
					Non-breastfed infants	0-3 months	4-5 months	6-11 months													
Powder: 14.1 oz.	9 cans	10 cans	7 cans																		
Partially breastfed infants	1-3 months	4-5 months	6-11 months																		
Powder: 14.1 oz.	4 cans	5 cans	4 cans																		
<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td>Partially breastfed infants</td> <td>1-3 months</td> <td>4-5 months</td> <td>6-11 months</td> </tr> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	9 cans	10 cans	7 cans	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	4 cans					
Non-breastfed infants	0-3 months	4-5 months	6-11 months																		
Powder: 14.1 oz.	9 cans	10 cans	7 cans																		
Partially breastfed infants	1-3 months	4-5 months	6-11 months																		
Powder: 14.1 oz.	4 cans	5 cans	4 cans																		
Elecare® (Abbott Nutrition)	Nutritionally complete, amino acid-based infant formula. 33% of fat from MCT Free of Milk and Soy Protein, Lactose, Gluten, Fructose and Galactose Halal	Powder: 14.1 oz can; 6 cans/case (use unpacked level scoops) Reconstitution: 95 fl. oz. at standard dilution NDC: 70074-0535-11	CHO: corn syrup solids PRO: Free L-amino acids FAT: high oleic safflower, MCT and soy, M. alpina and C. cohnii oils Contains vitamins and minerals Standard dilution: 20 cal./fl.oz. Osmolality = 350 mOsm/kg H ₂ O	For infants who cannot tolerate intact protein; designed for the management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI tract impairment and other conditions requiring an elemental diet. Specialist consultation recommended.	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td>Partially breastfed infants</td> <td>1-3 months</td> <td>4-5 months</td> <td>6-11 months</td> </tr> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	9 cans	10 cans	7 cans	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	4 cans
					Non-breastfed infants	0-3 months	4-5 months	6-11 months													
Powder: 14.1 oz.	9 cans	10 cans	7 cans																		
Partially breastfed infants	1-3 months	4-5 months	6-11 months																		
Powder: 14.1 oz.	4 cans	5 cans	4 cans																		
<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td>Partially breastfed infants</td> <td>1-3 months</td> <td>4-5 months</td> <td>6-11 months</td> </tr> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	9 cans	10 cans	7 cans	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	4 cans					
Non-breastfed infants	0-3 months	4-5 months	6-11 months																		
Powder: 14.1 oz.	9 cans	10 cans	7 cans																		
Partially breastfed infants	1-3 months	4-5 months	6-11 months																		
Powder: 14.1 oz.	4 cans	5 cans	4 cans																		

Elemental/Amino Acid-Based Formulas for Infants (less than 12 months of age)																									
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts																				
Neocate® Infant DHA/ARA (Nutricia North America)	Nutritionally complete amino acid based infant formula containing nucleotides. 33% fat from MCT Lactose, Sucrose and Milk Free Halal Kosher Pareve	Powder: 14.1 oz. (400g) can, 4 cans/case (unflavored) (use unpacked level scoops) Reconstitution: 97 fl. oz. at standard dilution NDC: 49735-0125-95	CHO: corn syrup solids PRO: L- amino acids FAT: MCT, high oleic sunflower, sunflower, canola, M. alpina and C. cohnii oils Contains vitamins and minerals Standard dilution: 20 cal./fl.oz. Osmolality = 340 mOsm/kg H ₂ O	For infants with cow/soy milk protein allergy, multiple food allergies, and food allergy-associated conditions such as short bowel syndrome (SBS), food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), malabsorption, or other GI disorders. Specialist consultation recommended.	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>8 cans</td> <td>9 cans</td> <td>7 cans</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>3 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	8 cans	9 cans	7 cans					Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	3 cans
					Non-breastfed infants	0-3 months	4-5 months	6-11 months																	
Powder: 14.1 oz.	8 cans	9 cans	7 cans																						
Partially breastfed infants	1-3 months	4-5 months	6-11 months																						
Powder: 14.1 oz.	4 cans	5 cans	3 cans																						
Neocate Syneo Infant (Nutricia North America)	Nutritionally complete amino acid based infant formula with both prebiotics and probiotics	Powder: 14.1 oz. (400g) can, 4 cans/case (unflavored) (use unpacked level scoops) Reconstitution: 95 fl. oz. at standard dilution NDC: 49735-0114-36	CHO: corn syrup solids, inulin PRO: L- amino acids FAT: MCT, high oleic sunflower, sunflower, canola, M. alpina and C. cohnii oils Prebiotic and probiotic blend of short-chain fructooligosaccharides and long-chain fructooligosaccharides (scFOS/lcFOS) and <i>Bifidobacterium breve</i> M-16V (<i>B. breve</i> M-16V). Contains vitamins and minerals Standard dilution: 20 cal./fl.oz. Osmolality = N/A	For infants with cow milk allergy, multiple food allergies and related GI and allergic conditions, including FPIES and EoE. Specialist consultation recommended.	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>9 cans</td> <td>10 cans</td> <td>7 cans</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <th>Partially breastfed infants</th> <th>1-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> <tr> <td>Powder: 14.1 oz.</td> <td>4 cans</td> <td>5 cans</td> <td>4 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	9 cans	10 cans	7 cans					Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	4 cans	5 cans	4 cans
					Non-breastfed infants	0-3 months	4-5 months	6-11 months																	
Powder: 14.1 oz.	9 cans	10 cans	7 cans																						
Partially breastfed infants	1-3 months	4-5 months	6-11 months																						
Powder: 14.1 oz.	4 cans	5 cans	4 cans																						

Elemental/Amino Acid-Based Formulas for Infants (less than 12 months of age)																					
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts																
PurAmino (Mead Johnson Nutrition™)	Nutritionally complete, hypoallergenic, amino acid-based formula for infants and toddlers with severe cow's milk protein allergy and/or multiple food protein allergies. Lactose Free Galactose Free	Powder: 14.1 oz. can, 4 cans/case (use unpacked level scoops) Reconstitution: 98 fl. oz. at standard dilution NDC: 0087-510480	CHO: corn syrup solids, modified tapioca starch PRO: L-amino acids FAT: high oleic sunflower, MCT, soy, M. alpina and C. cohnii oils Contains vitamins and minerals Standard dilution: 20 cal./fl.oz. Osmolality = 350 mOsm/kg H₂O	Infants and toddlers with cow's milk protein allergy and multiple food protein allergies (not effectively managed by an extensively hydrolyzed formula), protein maldigestion, malabsorption, short bowel syndrome and eosinophilic esophagitis. When used as a milk substitute, the total calcium content of the diet should be assessed. Specialist consultation recommended.	<table border="1"> <thead> <tr> <th>Non-breastfed infants</th> <th>0-3 months</th> <th>4-5 months</th> <th>6-11 months</th> </tr> </thead> <tbody> <tr> <td>Powder: 14.1 oz.</td> <td>8 cans</td> <td>9 cans</td> <td>7 cans</td> </tr> <tr> <td>Partially breastfed infants</td> <td>1-3 months</td> <td>4-5 months</td> <td>6-11 months</td> </tr> <tr> <td>Powder: 14.1oz.</td> <td>4 cans</td> <td>5 cans</td> <td>3 cans</td> </tr> </tbody> </table>	Non-breastfed infants	0-3 months	4-5 months	6-11 months	Powder: 14.1 oz.	8 cans	9 cans	7 cans	Partially breastfed infants	1-3 months	4-5 months	6-11 months	Powder: 14.1oz.	4 cans	5 cans	3 cans
					Non-breastfed infants	0-3 months	4-5 months	6-11 months													
					Powder: 14.1 oz.	8 cans	9 cans	7 cans													
					Partially breastfed infants	1-3 months	4-5 months	6-11 months													
Powder: 14.1oz.	4 cans	5 cans	3 cans																		

Elemental/Amino Acid-Based Formulas for Children (older than 12 months of age)						
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts	
Alfamino Jr. (Nestle Nutrition)	Nutritionally complete, hypoallergenic amino acid-based formula for children. For oral or tube feeding use 65% of fat from MCT oil Lactose Free Gluten Free	Powder: 14.1 oz. (400g) cans, 6 cans/case (use unpacked level scoops) Reconstitution: 62 fl. oz. at standard dilution NDC: 13034-0787-95	CHO: corn syrup solids, potato starch, maltodextrin PRO: free amino acids FAT: MCT and soybean oils and citric acid esters of mono- and di-glycerides (CITREM) Contains vitamins and minerals Standard dilution: 30 cal./fl. oz. Osmolality: 590 mOsm/kg H ₂ O	For children 1-13 years of age with cow's milk protein allergy, multiple food allergies, eosinophilic GI disorders, malabsorptive conditions, and short bowel syndrome Specialist consultation recommended.	Children	
					Powder: 14.1 oz.	14 cans
Elecare Jr. (Abbott Nutrition)	Nutritionally complete amino acid-based medical food. 33% of fat from MCT Milk Protein Free Lactose Free Gluten Free Soy Protein Free Fructose Free Galactose Free Halal	Powder: 14.1 oz can; 6 cans/case (unflavored, vanilla) (use unpacked level scoops) Reconstitution: 62 fl. oz. at standard dilution NDC: Unflavored: 70074-0552-54 Vanilla: 70074-0565-86	CHO: corn syrup solids PRO: L-amino acids FAT: high oleic safflower, MCT and soy oils, Contains vitamins and minerals Standard dilution: 30 cal/fl. oz Osmolality = 590 mOsm/kg H ₂ O	For children ≥12 months who cannot tolerate intact or hydrolyzed protein; designed for the management of protein maldigestion, malabsorption, severe food allergies, short-bowel syndrome, eosinophilic GI disorders, GI tract impairment and other conditions requiring an elemental diet. Specialist consultation recommended.	Children	
					Powder: 14.1 oz.	14 cans

Elemental/Amino Acid-Based Formulas for Children (older than 12 months of age)													
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts								
Neocate® Junior (Nutricia North America)	Nutritionally complete, powdered amino acid based medical food 35% of fat from MCT	Powder: 14.1 oz (400g) can, 4 cans/case (unflavored, tropical, chocolate) Reconstitution: 64 fl. oz. (unflavored), 60 oz. (flavored) at standard dilution NDC: Unflavored: 49735-0117-90 Tropical: 49735-0121-24 Chocolate: 49735-0126-90	CHO: corn syrup solids; sucrose (chocolate only) PRO: L-amino acids FAT: palm kernel, coconut, canola, high oleic safflower oils Both tropical and chocolate flavors contain artificial sweeteners: acesulfame potassium (Tropical) and sucralose (Chocolate) Contains vitamins and minerals Standard dilution: 30 cal./fl. oz. Osmolality = 550 mOsm/kg H ₂ O (unflavored); 630 mOsm/kg H ₂ O (tropical fruit); 650 mOsm/kg H ₂ O (chocolate)	For children over 1 year of age with cow/soy milk allergy, multiple food protein intolerance, food allergy-associated conditions such as short bowel syndrome (SBS), food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), malabsorption, gastroesophageal reflux or other GI disorders. Specialist consultation recommended.	<table border="1"> <thead> <tr> <th colspan="2">Children</th> </tr> </thead> <tbody> <tr> <td>Powder: 14 oz.</td> <td></td> </tr> <tr> <td>Unflavored</td> <td>14 cans</td> </tr> <tr> <td>Flavored</td> <td>15 cans</td> </tr> </tbody> </table>	Children		Powder: 14 oz.		Unflavored	14 cans	Flavored	15 cans
					Children								
Powder: 14 oz.													
Unflavored	14 cans												
Flavored	15 cans												
Neocate® Junior with Prebiotics (Nutricia North America)	Nutritionally complete, powdered amino acid based medical food with prebiotic fiber for children 35% of fat from MCT	Powder: 14.1 oz (400g) can, 4 cans/case (unflavored, tropical, chocolate) Reconstitution: 64 fl. oz. (unflavored), 61 (vanilla), 63 (strawberry) at standard dilution NDC: Unflavored: 49735-012912 Strawberry: 49735-016456 Vanilla: 49735-010627	CHO: corn syrup solids; fructooligosaccharide, inulin; sucrose (vanilla and strawberry only) PRO: L-amino acids FAT: palm kernel, coconut, canola, high oleic safflower oils Both strawberry and vanilla flavors contain sucralose, an artificial sweetener Contains vitamins and minerals Standard dilution: 30 cal./fl.oz. Osmolality = 550 mOsm/kg H ₂ O (unflavored); 630 mOsm/kg H ₂ O (strawberry); 650 mOsm/kg H ₂ O (vanilla)	For children over 1 year of age with cow/soy milk allergy, multiple food protein intolerance, food allergy-associated conditions such as short bowel syndrome (SBS), food protein-induced enterocolitis syndrome (FPIES), eosinophilic esophagitis (EoE), malabsorption, gastroesophageal reflux or other GI disorders. Specialist consultation recommended.	<table border="1"> <thead> <tr> <th colspan="2">Children</th> </tr> </thead> <tbody> <tr> <td>Powder: 14 oz.</td> <td></td> </tr> <tr> <td></td> <td>14 cans</td> </tr> </tbody> </table>	Children		Powder: 14 oz.			14 cans		
					Children								
Powder: 14 oz.													
	14 cans												

Elemental/Amino Acid-Based Formulas for Children (older than 12 months of age)					
Product Name	Description	Packaging	Composition	Indications	Maximum Monthly WIC Issuance Amounts
PurAmino Toddler (Mead Johnson Nutrition)	Nutritionally complete, iron-fortified, hypoallergenic, amino acid-based medical food Lactose Free Galactose Free	Powder: 14.1 oz. can, 4 cans/case Reconstitution: 66 fl. oz. at standard dilution NDC: 0087-511732	CHO: corn syrup solids, modified tapioca starch PRO: free amino acids FAT: high oleic sunflower, MCT, soy, M. alpine and C. Cohnii oils Contains vitamins and minerals Standard dilution: 30 kcal/oz Osmolality: not available	For the dietary management of severe cow's milk protein allergy (not effectively managed by an extensively hydrolyzed formula), multiple food allergies, protein maldigestion, malabsorption, short bowel syndrome and eosinophilic esophagitis. When used as a milk substitute, the total calcium content of the diet should be assessed. Specialist consultation recommended.	Children
					Powder 14.1 oz.
Vivonex® Pediatric (Nestlé Clinical Nutrition)	Nutritionally complete 100% free amino acid formula for children. Lactose Free Gluten Free Low Residue Kosher	Powder: 1.7 oz. packets, 36 packets/case (unflavored) Packet yield = 250 ml (mix one packet with 220 mL H₂O) NDC: 00212-7131-76	CHO: maltodextrin, modified corn starch PRO: Free L-amino acids FAT: MCT (coconut and/or palm kernel), soybean oils Contains vitamins and minerals Standard dilution: 200 kcals/packet Osmolality = 360 mOsm/kg H₂O	For oral or tube feeding in children (ages 1-13) with GI impairment from Crohn's disease, intractable diarrhea, short bowel syndrome, GI fistula, or malabsorption syndrome. This product is only appropriate for use in individuals > 1 year old. Specialist consultation recommended.	Children
					Powder 1.7 oz.