## CURRENT CIGARETTE SMOKING RATES

- 16 in 100 adults in Hancock County
- 17 in 100 adults in Maine
- 14 in 100 adults in the United States



If Hancock County's current cigarette rate among adults was on par with the national average, 1,099 fewer adults would smoke. This is about the population of Sedgewick.

## HANCOCK COUNTY

ADULT SMOKING RATE

16%

(MAINE 17.3%)

**3rd LOWEST** RATE IN MAINE

## TOBACCO INDUSTRY INFLUENCE IN MAINE



# YOUTH AND TOBACCO USE HANCOCK COUNTY

## **USE RATES**

Youth Cigarette Smoking Rate YOUTH TOBACCO USE DISPARITIES 7% (MAINE 7.1%) Transgender students are 3x as likely to have smoked cigarettes in the past 30 days than cisgender students. Youth cigarette, cigar, chewing tobacco, LGBT students are 2x as likely. snuff, dip, dissolvable tobacco products use 10.6% 20% Transgender (MAINE 10.6%) Second Hand Smoke Exposure Rate LGBT 13% 28.5% (MAINE 27%) Cisgender 6% **Electronic Vapor Product Use Rate** 29.7% (MAINE 28.7%) Vaping with e-cigarettes that contain nicotine can be addictive. In a large study of youth\*, those who used e-cigarettes were 2x more likely to start smoking cigarettes within 2 years than youth who never used any tobacco product. \* Nationally representative sample of 10,384 youth, ages 12-17, participating in the Population Assessment of Tobacco and Health (PATH) study

## EXPOSURE TO ADVERTISING



#### References

Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2017 & 2019. U.S. Census Bureau. "Population Estimates, 2018 -- Maine. July 1, 2018 (V2018)

Campaign for Tobacco-Free Kids. Toll of Tobacco in Maine, 2020.

Centers for Disease Control and Prevention (CDC). Tobacco Use Among Adults with Mental Illness and Substance Use Disorders. National Center for Chronic Disease Prevention and Health Promotion, Office on Smoking and Health. [updated 2019]. SAMHSA. Results from the 2016 National Survey on Drug Use and Health: Detailed Tables. Rockville, MD: SAMHSA, Center for Behavioral Health Statistics and Quality, 2017.

Watkins SL, Glantz SA, Chaffee BW. Association of Noncigarette Tobacco Product Use With Future Cigarette Smoking Among Youth in the Population Assessment of Tobacco and Health (PATH) Study, 2013-2015. JAMA Pediatr. 2018;172(2):181-187. Maine Center for Disease Control and Prevention & Maine Department of Education. Maine Integrated Youth Health Survey, 2019.

For more information, please visit www.mainepublichealth.org

State of Tobacco Use in Maine fact sheets were generously supported by the Maine Cancer Foundation,

with data assistance by Maine CDC and MaineHealth.