

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
1. Delirium	
Worsening mental status on the current assessment being lower than the BIMS summary score on the prior assessment.	All of the following: <ul style="list-style-type: none"> • Federal OBRA reason for assessment (A0310A) = 03, 04, 05; • BIMS summary score (C0500) = 00-15; • BIMS Summary score prior assessment (V0100D) = 00-15; • Current BIMS summary score (C0500) < prior BIMS summary score (V0100D)
Acute mental status change	Acute onset mental status change (C1600) = 1
2. Cognitive Loss/Dementia	
BIMS summary score is less than 13	BIMS summary score (C0500) = 00-12
BIMS summary score has a missing value and there is a problem with short-term memory	All of the following: <ul style="list-style-type: none"> • BIMS summary score (C0500) = 99, -, ^; • Short-term memory OK (C0700) = 1
BIMS summary score has a missing value and there is a problem with long-term memory	All of the following: <ul style="list-style-type: none"> • BIMS summary score (C0500) = 99, -, ^ • Long-term memory OK (C0800) = 1
BIMS summary score has a missing value and at least some difficulty making decisions regarding tasks of daily life	All of the following: <ul style="list-style-type: none"> • BIMS summary score (C0500) = 99, -, ^; • Cognitive skills of daily decision making (C1000) = 1, 2, 3
BIMS, staff assessment or clinical record suggests presence of inattention, disorganized thinking, altered level of consciousness or psychomotor retardation	One of the following: <ul style="list-style-type: none"> • Inattention (C1300A) = 1, 2; • Disorganized thinking (C1300B) = 1, 2; • Altered level of consciousness (C1300C) = 1, 2; • Psychomotor retardation (C1300D) = 1, 2
Presence of any behavioral symptom (verbal, physical or other)	One of the following: <ul style="list-style-type: none"> • Physical behavioral symptoms directed toward others (E0200A) = 1, 2, 3; • Verbal behavioral symptoms directed toward others (E0800B) = 1, 2, 3; • Other behavioral symptoms directed toward others (E0800C) = 1, 2, 3;
Rejection of care occurred on at least 1 day	Rejection of care (E0800) = 1, 2, 3
Wandering occurred on at least 1 day	Wandering (E0900) = 1, 2, 3
3. Visual Function	
Cataracts, glaucoma, or macular degeneration	Cataracts, glaucoma, or macular degeneration (I6500) = 1
Vision item indicates vision problems	Vision: ability to see in adequate light (B1000) = 1, 2, 3, 4
4. Communication	
Hearing item indicates hearing problems	Ability to hear (B0200) = 1, 2, 3
Impaired ability to make self understood through verbal and non-verbal expression of ideas/wants	Makes self understood (B0700) = 1, 2, 3
Impaired ability to understand others through verbal content	Ability to understand others (B0800) = 1, 2, 3
5. ADL Functional/Rehabilitation Potential	
ADL assistance for bed mobility needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Bed mobility self-performance (G0110A1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
5. ADL Functional/Rehabilitation Potential (cont.)	
ADL assistance for transfer between surfaces needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Transfer self-performance (G0110B1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for walking in resident’s room needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Walk in room self-performance (G0110C1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for walking in corridor needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Walk in corridor self-performance (G0110D1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for locomotion on unit needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Locomotion on unit self-performance (G0110E1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for locomotion off unit needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Locomotion off unit self-performance (G0110F1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for dressing needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Dressing self-performance (G0110G1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for eating needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Eating self-performance (G0110H1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for toilet use needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Toilet use self-performance (G0110I1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for grooming/personal hygiene needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Grooming/personal hygiene self-performance (G0110J1) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
ADL assistance for bathing needed and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Bathing self-performance (G0120A) = 1, 2, 3, 4 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
Balance during transition not steady and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	One of the following: <ul style="list-style-type: none"> • Moving from seated to standing (G0300A) = 1, 2; • Walking (G0300B) = 1, 2; • Turning around (G0300C) = 1, 2; • Moving on or off toilet (G0300D) = 1, 2; • Surface-to-surface transfer (G0300E) = 1, 2 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
5. ADL Functional/Rehabilitation Potential (cont.)	
Resident believes he/she is capable of increased independence and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5 or greater	Resident believes he/she capable of increased independence (G0900A) = 1 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
Direct care staff believes resident is capable of increased independence and either cognitive skills for daily decision making independent to moderately impaired or BIMS score 5	Direct care staff believes resident is capable of increased independence (G0900B) = 1 AND one of the following: <ul style="list-style-type: none"> • Cognitive skills for decision making (C1000) = 0, 1, 2; • BIMS summary score (C0500) = 05 – 15
6. Urinary Incontinence and Indwelling Catheter	
ADL assistance needed for toileting	Toilet use self-performance (G0110I1) = 2, 3, 4
Resident requires an indwelling catheter	Indwelling catheter (H0100A) = 1
Resident requires an external catheter	External catheter (H0100B) = 1
Resident requires intermittent catheterization	Intermittent catheterization (H0100D) = 1
Resident has occasional to constant urinary incontinence	Urinary continence (H0300) = 1, 2, 3
Resident has moisture associated skin damage	All of the following: <ul style="list-style-type: none"> • Moisture associated skin damage (M1040H) = 1; • Assessment reference date (A2300) >= 4/1/2012
7. Psychosocial Well-Being	
Resident mood interview indicates the presence of little interest or pleasure in doing things	Little interest or pleasure in doing things (D0200A1) = 1
Staff assessment of resident mood indicates the presence of little interest or pleasure in doing things	Little interest or pleasure in doing things (D0500A1) = 1
Resident interview for activity preference for “How important is it to you to do your favorite activities?” is not very important or not important at all	How important is it to you to do your favorite activities? (F0500F) = 3, 4
Staff assessment of daily and activity preference did not indicate that resident prefers participating in favorite activities	Participating in favorite activities (F0800Q) = 0, -, ^ (not checked)
Physical behavioral symptoms directed toward others occurred on 1 or more days and neither dementia or Alzheimer’s disease is present	All of the following: <ul style="list-style-type: none"> • Physical behavioral symptoms directed toward others (E0200A) = 1, 2, 3; • Dementia (I4800) = 0, - (not checked); • Alzheimer’s disease (I4200) = 0, - (not checked)
Verbal behavioral symptoms directed toward others occurred on 1 or more days and neither dementia or Alzheimer’s disease is present	All of the following: <ul style="list-style-type: none"> • Verbal behavioral symptoms directed toward others (E0200B) = 1, 2, 3; • Dementia (I4800) = 0, - (not checked); • Alzheimer’s disease (I4200) = 0, - (not checked)

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
7. Psychosocial Well-Being (cont.)	
Any six items in resident interview for activity preferences is not important at all and resident is primary respondent for daily activity preferences	Daily and activity preferences primary respondent (F0600) = 1 AND any 6 of the following: <ul style="list-style-type: none"> • How important is to you to have books, newspapers, and magazines to read? (F0550A) = 4; • How important is to you to listen to music you like? (F0500B) = 4; • How important is to you to be around animals such as pets? (F0500C) = 4; • How important is to you to keep up with the news? (F0500D) = 4; • How important is to you to do things with groups of people? (F0500E) = 4; • How important is to you to do your favorite activities? (F0500F) = 4; • How important is to you to go outside to get fresh air when the weather is good? (F0500G) = 4; • How important is to you to participate in religious services or practices? (F0500H) = 4
8. Mood State	
Resident has had thoughts he/she would be better off dead	Thoughts that you would be better off dead (D0200I) = 1
Staff assessment of resident mood suggests resident states life isn't worth living, wishes for death or attempts to harm self	States that life isn't worth living (D0500I) = 1
Resident mood interview severity score on current assessment is greater than prior assessment resident mood interview severity score	All of the following: <ul style="list-style-type: none"> • Federal OBRA reason for assessment (A0310A) = 03, 04, 05; • Total mood severity score (D0300) = 00-27; • Prior total mood severity score (V0100E) = 00-27; • Current mood severity score (D0300) > Prior total mood severity score (V0100E)
Staff mood assessment severity score on current assessment is greater than prior assessment staff mood assessment severity score	All of the following: <ul style="list-style-type: none"> • Federal OBRA reason for assessment (A0310A) = 03, 04, 05; • Total mood severity score (D0300) not in 00-27; • Total staff mood severity score (D0600) = 00-30; • Prior staff mood severity score (V0100F) = 00-27; • Current staff mood severity score (D0600) > Prior staff mood severity score (V0100F)
Resident mood interview total severity score has a value of 10 through 27	Total severity score (D0300) = 10-27
Staff mood assessment total severity score has value of 10 through 30	Total severity score (D0600) = 10-30
9. Behavioral Symptoms	
Rejection of care has occurred on 1 or more days	Rejection of care (E0800) = 1, 2, 3
Wandering occurred on 1 or more days	Wandering (E0900) = 1, 2, 3
Resident's current behavioral status has gotten worse	Change in behavior and other symptoms (E1100) = 2
Presence of at least one behavioral symptom	Overall presence of behavioral symptoms (E0300) = 1
10. Activities	
Resident has little interest or pleasure in doing things	Little interest or pleasure in doing things (D0200A1) = 1
Staff assessment indicates little interest or pleasure in doing things	Little interest or pleasure in doing things (D0500A1) = 1

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
10. Activities (cont.)	
Any 6 items in interview for activity preferences are not important at all or important but cannot do or no choice	<p>Any 6 of the following:</p> <ul style="list-style-type: none"> • How important is to you to have books, newspapers, and magazines to read? (F0550A) = 4, 5; • How important is to you to listen to music you like? (F0500B) = 4, 5; • How important is to you to be around animals such as pets? (F0500C) = 4, 5; • How important is to you to keep up with the news? (F0500D) = 4, 5; • How important is to you to do things with groups of people? (F0500E) = 4, 5; • How important is to you to do your favorite activities? (F0500F) = 4, 5; • How important is to you to go outside to get fresh air when the weather is good? (F0500G) = 4, 5; • How important is to you to participate in religious services or practices? (F0500H) = 4, 5
Any 6 items in staff assessment of activity preference items L through T are not checked	<p>Any 6 of the following:</p> <ul style="list-style-type: none"> • Reading books, newspapers, or magazines (F0800L) = 0, - (not checked); • Listening to music (F0800M) = 0, - (not checked); • Being around animals such as pets (F0800N) = 0, - (not checked); • Keeping up with the news (F0800O) = 0, - (not checked); • Doing things with groups of people (F0800P) = 0, - (not checked); • Participating in groups of people (F0800Q) = 0, - (not checked); • Spending time away from the nursing home (F0800R) = 0, - (not checked); • Spending time outdoors (F0800S) = 0, - (not checked); • Participating in religious activities or practices (F0800T) = 0, - (not checked)
11. Falls	
Wandering occurred on one or more days	Wandering (E0900) = 1, 2, 3
Balance problems during transition	<p>One of the following:</p> <ul style="list-style-type: none"> • Moving from seated to standing (G0300A) = 1, 2; • Walking (G0300B) = 1, 2; • Turning around (G0300C) = 1, 2; • Moving on or off toilet (G0300D) = 1, 2; • Surface-to-surface transfer (G0300E) = 1, 2
Fall history at admission indicates resident fell anytime in the last month	<p>All of the following:</p> <ul style="list-style-type: none"> • Federal OBRA reason for assessment (A0310A) = 01; • Did resident have a fall any time in the last month prior to admission? (J1700A) = 1
Fall history at admission indicates resident fell anytime in the last 2 to 6 months	<p>All of the following:</p> <ul style="list-style-type: none"> • Federal OBRA reason for assessment (A0310A) = 01; • Did resident have a fall any time in the last 2-6 months prior to admission? (J1700B) = 1
Resident has fallen at least one time since admission or the prior assessment	Has the resident had any falls since admission or the prior assessment? (J1800) = 1

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
11. Falls (cont.)	
Resident received antianxiety medication on one or more of the last 7 days or since admission	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antianxiety (N0400B) = 1 For assessment reference date (A2300) >= 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antianxiety (N0410B) = 1, 2, 3, 4, 5, 6, 7
Resident received antidepressant medication on one or more of the last 7 days or since admission	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antidepressant (N0400C) = 1 For assessment reference date (A2300) >= 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antidepressant (N0410C) = 1, 2, 3, 4, 5, 6, 7
Trunk restraint used in bed	Used in bed: Trunk restraint (P0100B) = 1, 2
Trunk restraint used in chair or out of bed	Used in chair or out of bed: Trunk restraint (P0100E) = 1, 2
12. Nutritional Status	
Dehydration is selected as a health problem	Problem conditions: Dehydration (J1550C) = 1
Body mass index (BMI) is too low or too high	BMI: $\text{Weight (K0300B)} * 703 / \text{Height (K0300A)}^2 < 18.5 \text{ or } > 24.9$
Any weight loss	Loss of 5% or more in last month or loss of 10% or more in last 6 months (K0300) = 1, 2
Any planned or unplanned weight gain	All of the following: <ul style="list-style-type: none"> • Assessment reference date (A2300) >= 4/1/2012 • Gain of 5% or more in the last month or gain of 10% or more in last 6 months (K0310) = 1, 2
Parenteral/IV feeding used as a nutritional approach	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Parenteral/IV feeding (K0500A) = 1 For assessment reference date (A2300) >= 4/1/2012 One of the following: <ul style="list-style-type: none"> • Parenteral/IV feeding while not resident (K0510A1) = 1; • Parenteral/IV feeding while resident (K0510A2) = 1
Mechanically altered diet used as a nutritional approach	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Mechanically altered diet (K0500C) = 1 For assessment reference date (A2300) >= 4/1/2012 One of the following: <ul style="list-style-type: none"> • Mechanically altered diet while not resident (K0510C1) = 1; • Mechanically altered diet while resident (K0510C2) = 1
Therapeutic diet used as a nutritional approach	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Therapeutic diet (K0500D) = 1 For assessment reference date (A2300) >= 4/1/2012 One of the following: <ul style="list-style-type: none"> • Therapeutic diet while not resident (K0510D1) = 1; • Therapeutic diet while resident (K0510D2) = 1
Resident has one or more unhealed pressure ulcer(s) at stage 2 or higher or one or more likely pressure ulcers that are unstageable	One of the following: <ul style="list-style-type: none"> • Stage 2 pressure ulcers (M0300B1) = 1, 2, 3, 4, 5, 6, 7, 8, 9; • Stage 3 pressure ulcers (M0300C1) = 1, 2, 3, 4, 5, 6, 7, 8, 9; • Stage 4 pressure ulcers (M0300D1) = 1, 2, 3, 4, 5, 6, 7, 8, 9; • Unstageable pressure ulcers with non-removable dressing (M0300E1) = 1, 2, 3, 4, 5, 6, 7, 8, 9; • Unstageable pressure ulcers with slough and or eschar (M0300F1) = 1, 2, 3, 4, 5, 6, 7, 8, 9; • Unstageable pressure ulcers – deep tissue (M0300G1) = 1, 2, 3, 4, 5, 6, 7, 8, 9;

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
13. Feeding Tubes	
Feeding tube used as a nutritional approach	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Feeding tube (K0500B) = 1 For assessment reference date (A2300) >= 4/1/2012 One of the following: <ul style="list-style-type: none"> • Feeding tube while not resident (K0510B1) = 1; • Feeding tube while resident (K0510B2) = 1
14. Dehydration/Fluid Maintenance	
Fever is selected as a health condition	Problem conditions: Fever (J1550A) = 1
Vomiting is selected as a health condition	Problem conditions: Vomiting (J1550B) = 1
Dehydration is selected as a health condition	Problem conditions: Dehydration (J1550C) = 1
Internal bleeding is selected as a health condition	Problem conditions: Internal bleeding (J1550D) = 1
Infection present	One of the following: <ul style="list-style-type: none"> • Multidrug-resistant organism (I1700) = 1; • Pneumonia (I2000) = 1; • Septicemia (I2100) = 1; • Tuberculosis (I2200) = 1; • Urinary tract infection (I2300) = 1; • Viral hepatitis (I2400) = 1; • Wound infection (I2500) = 1; • Infection on foot (M1040A) = 1;
Constipation present	Constipation present? (H0600) = 1
Parenteral/IV feeding used as a nutritional approach	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Parenteral/IV feeding (K0500A) = 1 For assessment reference date (A2300) >= 4/1/2012 One of the following: <ul style="list-style-type: none"> • Parenteral/IV feeding while not resident (K0510A1) = 1; • Parenteral/IV feeding while resident (K0510A2) = 1
Feeding tube used as a nutritional approach	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Feeding tube (K0500B) = 1 For assessment reference date (A2300) >= 4/1/2012 One of the following: <ul style="list-style-type: none"> • Feeding tube while not resident (K0510B1) = 1; • Feeding tube while resident (K0510B2) = 1
15. Dental Care	
Any dental problem	Any of the following: <ul style="list-style-type: none"> • Broken or loosely fitting denture (L0200A) = 1; • No natural teeth (L0200B) = 1; • Abnormal mouth tissue (L0200C) = 1; • Cavity or broken natural teeth (L0200D) = 1; • Inflamed or bleeding gums (L0200E) = 1; • Mouth or facial pain with chewing (L0200F) = 1;
16. Pressure Ulcer	
ADL assistance needed for bed mobility	Bed mobility self-performance (G0110A1) = 1, 2, 3, 4, 7, 8
Frequent urinary incontinence	Urinary continence (H0300) = 2, 3
Frequent bowel incontinence	Bowel continence (H0400) = 2, 3
Weight loss in the absence of physician-prescribed regimen	Weight loss (K0300) = 2
Resident at risk for developing pressure ulcers	Risk of pressure ulcers (M0150) = 1

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
16. Pressure Ulcer (cont.)	
Resident has one or more unhealed pressure ulcer(s) at stage 2 or higher or one or more likely pressure ulcers that are unstageable	One of the following: <ul style="list-style-type: none"> • Stage 2 pressure ulcers (M0300B1) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Stage 3 pressure ulcers (M0300C1) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Stage 4 pressure ulcers (M0300D1) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Unstageable pressure ulcers with non-removable dressing (M0300E1) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Unstageable pressure ulcers with slough and or eschar (M0300F1) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Unstageable pressure ulcers – deep tissue (M0300G1) = 1, 2, 3, 4, 5, 6, 7, 8, 9
Resident has one or more unhealed pressure ulcers at stage 1	Stage 1 pressure ulcer (M0300A) = 1, 2, 3, 4, 5, 6, 7, 8, 9
Resident has one or more pressure ulcers that has gotten worse since prior assessment	One of the following: <ul style="list-style-type: none"> • Worsening pressure ulcer: Stage 2 (M0800A) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Worsening pressure ulcer: Stage 3 (M0800B) = 1, 2, 3, 4, 5, 6, 7, 8, 9 • Worsening pressure ulcer: Stage 4 (M0800C) = 1, 2, 3, 4, 5, 6, 7, 8, 9
Trunk restraint used in bed	Used in bed: Trunk restraint (P0100B) = 1, 2
Trunk restraint used in chair or out of bed	Used in chair or out of bed: Trunk restraint (P0100E) = 1, 2
17. Psychotropic Medication Use	
Antipsychotic medication administered	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antipsychotic (N0400A) = 1 For assessment reference date (A2300) >= 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antipsychotic (M0410A) = 1, 2, 3, 4, 5, 6, 7
Antianxiety medication administered	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antianxiety (N0400B) = 1 For assessment reference date (A2300) >= 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antianxiety (M0410B) = 1, 2, 3, 4, 5, 6, 7
Antidepressant medication administered	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antidepressant (N0400C) = 1 For assessment reference date (A2300) >= 4/1/2012 <ul style="list-style-type: none"> • Medications received: Antidepressant (M0410C) = 1, 2, 3, 4, 5, 6, 7
Hypnotic medication administered	For assessment reference date (A2300) < 4/1/2012 <ul style="list-style-type: none"> • Medications received: Hypnotic (N0400D) = 1 For assessment reference date (A2300) >= 4/1/2012 <ul style="list-style-type: none"> • Medications received: Hypnotic (M0410D) = 1, 2, 3, 4, 5, 6, 7
18. Physical Restraints	
Bed rail used in bed	Used in bed: Bed rail (P0100A) = 1, 2
Trunk restraint used in bed	Used in bed: Trunk restraint (P0100B) = 1, 2
Limb restraint used in bed	Used in bed: Limb restraint (P0100C) = 1, 2
Other restraint used in bed	Used in bed: Other (P0100D) = 1, 2
Trunk restraint used in chair or out of bed	Used in chair or out of bed: Trunk restraint (P0100E) = 1, 2
Limb restraint used in chair or out of bed	Used in chair or out of bed: Limb restraint (P0100F) = 1, 2
Chair restraint that prevents rising used in chair or out of bed	Used in chair or out of bed: Chair restraint (P0100G) = 1, 2
Other restraint used in chair or out of bed	Used in chair or out of bed: Other restraint (P0100H) = 1, 2

Care Area Triggers (CATs) Logic MDS 3.0

Conditions	MDS 3.0 Logic
19. Pain	
Pain has made it hard for resident to sleep at night	Has pain made it hard for you to sleep at night? (J0500A) = 1
Resident has limited day-to-day activity because of pain	Have you limited your day-to-day activities because of pain? (J0500B) = 1
Pain numeric intensity rating has a value from 7 to 10	Pain intensity (J0600A) = 07, 08, 09, 10
Verbal descriptor of pain is severe or very severe	Verbal descriptor scale (J0600B) = 3, 4
Pain is frequent and numeric pain intensity has value of 4 through 10 or verbal descriptor is moderate, severe or very severe	Pain frequency (J0400) = 1, 2 AND One of the following: <ul style="list-style-type: none"> • Pain intensity (J0600A) = 04, 05, 06, 07, 08, 09, 10 • Verbal descriptor (J0600B) = 2, 3, 4
Staff assessment reports resident pain or possible pain in body language	Any of the following: <ul style="list-style-type: none"> • Non-verbal sounds (J0800A) = 1 • Vocal complaints of pain (J0800B) = 1 • Facial expressions (J0800C) = 1 • Protective body movements or posture (J0800D) = 1
20. Return to Community Referral	
Referral is or may be needed but has not been made to local contact agency	Has a referral been made to the local contact agency? (Q0600) = 1