

Appendix 1

The following references were consulted by Tri-County Mental Health Services in developing its health screen.

American Diabetes Association. (2010). Diabetes Basics. Retrieved February 1, 2010, from <http://www.diabetes.org/diabetes-basics/>.

Bond, G. & Campbell, K. (2008). Evidence-based practices for individuals with severe mental illness. *Journal of Rehabilitation*, 74(2), 33-44.

Brazier, J., Harper, R., Johns, N., O’Cathain, A., Thomas, K., Usherwood, T. & Westlake, L. (1992). Validating the SF-36 health survey questionnaire: new outcome measure for primary care. *BMJ*, 305, 160-164.

Cargiulo, T. (2007). Understanding the health impact of alcohol dependence. *American Journal Health-Systems Pharmacy*. 64, 5-11.

Centers for Disease Control and Prevention (CDC). (2008). Perceived insufficient rest or sleep among adults – United States, 2008. *Morbidity and Mortality Weekly Report*, 57(8), 200-203.

Davidson, S., Judd, F., Jolley, D., Hocking, B., Thompson, S., & Hyland, B. (2001). Cardiovascular risk factors for people with mental illness. *Australian and New Zealand Journal of Psychiatry*, 35(2), 196-202.

DeCoster, V. & Cummings, S. (2005). Helping adults with diabetes: a review of evidence-based interventions. *Health and Social Workers*, 30(3), 259-264.

Desai, M., Rosenheck, R., Druss, B. & Perlin., J. (2002). Receipt of nutrition and exercise counseling among medical outpatients with psychiatric and substance use disorders. *JGIM*, 17, 556-560.

Dickerson, F., Brown, C., Kreyenbuhl, J., Fang, L., Goldberg, R., Wohlheiter, K. & Dixon, L. (2006). Obesity among individuals with serious mental illness. *Acta Psychiatrica Scandinavica*, 113, 306-313.

Everett, A., Mahler, J., Biblin, J., Ganguli, R., & Mauer, B. (2008). Improving the health of mental health consumers, effective policies and practices. *International Journal of Mental Health*, 37(2), 8-48.

Faulkner, G., & Biddle, S. (1999). Exercise as an adjunct treatment for schizophrenia: a review of the literature. *Journal of Mental Health*, 8(5), 441-457.

Goldberg, R., Kreyenbuhl, J., Medoff, D., Dickerson, F., Wohlheiter, K., Fang, L., Brown, C. & Dixon, L. (2007). Quality of diabetes care among adults with serious mental illness. *Psychiatric Services*, 58(4), 536-543.

Granerud, A. & Severinsson, E. (2006). The struggle for social integration in the community – the experiences of people with mental health problems. *Journal of Psychiatric and Mental Health Nursing*, 13, 288–293.

Haviland, L. (2004). A silence that kills. *American Journal of Public Health*, 94(2), 176-178.

Lee, K. & Ward, T. (2005). Critical components of a sleep assessment for clinical practice settings. *Issues in Mental Health Nursing*, 26, 739-750.

Nilsson, P., Nilsson, J., Hedblad, B., & Berglund, G. (2001). Sleep disturbance in association with elevated pulse rate for prediction of mortality – consequences of mental strain. *Journal of Internal Medicine*, 250, 521-529.

Poznyak, V., Saraceno, B., & Obot, I. (2005). Breaking the vicious circle of determinants and consequences of harmful alcohol use. *Bulletin of the World Health Organization*, 83, 11.

- Richardson, C., Faulkner, G., McDevitt, J., Skrinar, G., Hutchinson, D., & Piette, J. (2005). Integrating physical activity into mental health services for persons with serious mental illness. *Psychiatric Services*, 56(3), 324-331.
- Robert Wood Johnson Foundation. (2010). Smoking Cessation Leadership Center. Retrieved February 1, 2010, http://smokingcessationleadership.ucsf.edu/MH_Data.htm.
- Roick, C., Fritz-Wieacker, A., Matschinger, H., Heider, D., Schindler, J., Riedel-Heller, S., Angermeyer, M. (2007). Health habits of patients with schizophrenia. *Social Psychiatry*, 42, 268-276.
- Room, R., Babor, T., & Rehm, J. (2005). Alcohol and public health. *Lancet*, 365, 519-530.
- Sacks, S. & Ries, R. (2005). Substance abuse treatment for persons with co-occurring disorders. DHHS Publication No. (SMA) 08-3992.
- Shiner, B., Whitley, R., Van Citters, A., Pratt, S. & Bartels. (2008). Learning what matters for patients: qualitative evaluation of a health promotion program for those with serious mental illness. *Oxford Journal*, 1-8.
- Stein, L. & Santos, A. (1998). Assertive community treatment of persons with severe mental illness. New York, New York: W.W. Norton & Company, Inc.
- Wade, A. (2006). Sleep problems in depression: how do they impact treatment and recovery. *International Journal of Psychiatry in Clinical Practice*, 10, 38-44.
- Waldfoegal, J. (1997, September). The new wave of service integration. *Social Service Review*, 463-484.
- Warren, B., Crews, C., & Schulte, M. (2001). Managing patients with diabetes mellitus and mental health problems. *Dis Manage Health Outcomes*, 9(3), 123-130.