

WEBBER POND

Bremen Twp., Lincoln County
U.S.G.S. Louds Island, Maine

Fishes

Smallmouth bass	White sucker
White perch	Hornpout (bullhead)
Yellow perch	Pumpkinseed sunfish
Chain pickerel	American eel
Minnnow species	Sea-run alewife

Physical Characteristics

Area - 219 acres	Temperatures
	Surface - 71° F.
	28 feet - 58° F.

Maximum depth - 31 feet

Principal Fishery: Smallmouth bass, Chain pickerel, White perch

Smallmouth bass were introduced into Webber Pond in the spring of 1956 by the Fisheries and Wildlife Department. This transfer was successful and now smallmouth bass provide a good sport fishery.

A brown trout stocking program was initiated in the 1980's. Unfortunately the program had to be terminated due to access problems.

Sea-run alewives ascend Muscongus Brook to spawn in Webber Pond. Young alewives provide excellent forage for bass. Muscongus Brook should be maintained free of obstructions which

might prevent the migration of alewives into Webber Pond.

No stocking is recommended until a public access agreement can be worked out.

Surveyed - August, 1941

Revised - 1963, 1998

Maine Department of Inland Fisheries and Wildlife Funded in part by Federal Aid in Restoration Act under Federal Project F-28-P L4857B



WEBBER POND P 1387
BREMEN TWP. LINCOLN CO.
ELEV 40+ FT Area - 219 acres

