

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	BRIDGE	Location	.1 MI E WENTZEL RD
Bridge Number	0488	Route Number	1100306
Feature On	GUSTIN ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	JIMMY POND INLET	Border Bridge	
Bridge Road Width (Feet)	18	Bridge or Minor Span	Minor Span on Town Way

CLASSIFICATION

Owner	Municipality	Maintainer	Municipality
Maximum Span Length (Feet)	16	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	4 - Poor Condition (advanced deterioration)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	4 - Poor Condition (advanced deterioration)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1950	Annual Average Daily Traffic	43

INSPECTION AND APPRAISAL

Date of Inspection	07/23/20	Federal Sufficiency Rating	61.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	OLD MILL	Location	.1 MI S LITCHFIELD RD
Bridge Number	0517	Route Number	1100631
Feature On	OLD MILL ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	PURGATORY STREAM	Border Bridge	
Bridge Road Width (Feet)	16	Bridge or Minor Span	Minor Span on Town Way

CLASSIFICATION

Owner	Municipality	Maintainer	Municipality
Maximum Span Length (Feet)	14	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	3 - Serious Condition (primary structure affected)	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	3 - Serious Condition (primary structure affected)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1950	Annual Average Daily Traffic	32

INSPECTION AND APPRAISAL

Date of Inspection	07/06/21	Federal Sufficiency Rating	29.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Posted for Load	Posted Weight (Tons)	22.00
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	POTTERS BROOK	Location	0.129 mi E of Stevestown
Bridge Number	0537	Route Number	0095X
Feature On	I-95	Bridge Region	2 - Mid-Coast Region
Feature Under	POTTERS BROOK	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	10	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/20/19	Federal Sufficiency Rating	82.2
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	POTTERS BROOK	Location	0.129 mi E of Stevenstown
Bridge Number	0537	Route Number	0095X
Feature On	I-95	Bridge Region	2 - Mid-Coast Region
Feature Under	POTTERS BROOK	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	10	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/20/19	Federal Sufficiency Rating	82.2
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	FERRIN ROAD MTPK	Location	0.165 mi N of Howards
Bridge Number	0540	Route Number	1100359
Feature On	WEST RD/FERRIN RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	14	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	54	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1956	Annual Average Daily Traffic	303

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	73.9
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	FERRIN ROAD MTPK	Location	0.165 mi N of Howards
Bridge Number	0540	Route Number	1100359
Feature On	WEST RD/FERRIN RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	14	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	54	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	73.9
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	FERRIN ROAD MTPK	Location	0.165 mi N of Howards
Bridge Number	0540	Route Number	1100359
Feature On	WEST RD/FERRIN RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	14	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	54	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	73.9
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HUNTINGTON HILL ROAD	Location	0.661 mi W of Academy
Bridge Number	0541	Route Number	1100363
Feature On	CENTER ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	72	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1956	Annual Average Daily Traffic	1104

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	72.7
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HUNTINGTON HILL ROAD	Location	0.661 mi W of Academy
Bridge Number	0541	Route Number	1100363
Feature On	CENTER ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	72	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	72.7
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HUNTINGTON HILL ROAD	Location	0.661 mi W of Academy
Bridge Number	0541	Route Number	1100363
Feature On	CENTER ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	72	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	72.7
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HALLOWELL RD	Location	0.615 mi E Center Rd
Bridge Number	0542	Route Number	1100353
Feature On	ACADEMY ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	71	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor deterioration)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1954	Annual Average Daily Traffic	231

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	80.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HALLOWELL RD	Location	0.615 mi E Center Rd
Bridge Number	0542	Route Number	1100353
Feature On	ACADEMY ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	71	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor deterioration)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1954	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	80.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HALLOWELL RD	Location	0.615 mi E Center Rd
Bridge Number	0542	Route Number	1100353
Feature On	ACADEMY ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	71	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	6 - Satisfactory Condition (minor deterioration)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1954	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/17/19	Federal Sufficiency Rating	80.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	RTE 197	Location	0.503 mi E Academy
Bridge Number	0543	Route Number	0197X
Feature On	RTE 197	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	74.5	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	1360

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	56.5
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	RTE 197	Location	0.503 mi E Academy
Bridge Number	0543	Route Number	0197X
Feature On	RTE 197	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	74.5	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	56.5
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	RTE 197	Location	0.503 mi E Academy
Bridge Number	0543	Route Number	0197X
Feature On	RTE 197	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	74.5	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	56.5
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	SMALL RD	Location	0.292 mi S of Plains Rd
Bridge Number	0544	Route Number	1102231
Feature On	SMALL RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	84	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	7 - Better than present minimum criteria
Year Built	1956	Annual Average Daily Traffic	459

INSPECTION AND APPRAISAL

Date of Inspection	06/19/19	Federal Sufficiency Rating	78.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	SMALL RD	Location	0.292 mi S of Plains Rd
Bridge Number	0544	Route Number	1102231
Feature On	SMALL RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	84	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	7 - Better than present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/19/19	Federal Sufficiency Rating	78.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	SMALL RD	Location	0.292 mi S of Plains Rd
Bridge Number	0544	Route Number	1102231
Feature On	SMALL RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	84	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	7 - Better than present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/19/19	Federal Sufficiency Rating	78.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	STEVENSTOWN ROAD	Location	0.646 mi N of Plains Rd
Bridge Number	0545	Route Number	1102237
Feature On	STEVENSTOWN ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	61	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	226

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	70.6
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	STEVENSTOWN ROAD	Location	0.646 mi N of Plains Rd
Bridge Number	0545	Route Number	1102237
Feature On	STEVENSTOWN ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	61	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	70.6
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	STEVENSTOWN ROAD	Location	0.646 mi N of Plains Rd
Bridge Number	0545	Route Number	1102237
Feature On	STEVENSTOWN ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	61	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	N - Not Applicable
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	70.6
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	LUNTS HILL RD	Location	0.241 mi NW of Plains Rd
Bridge Number	0546	Route Number	1100314
Feature On	LUNTS HILL ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	MTPK	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	56	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	148

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	83
--------------------	----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	LUNTS HILL RD	Location	0.241 mi NW of Plains Rd
Bridge Number	0546	Route Number	1100314
Feature On	LUNTS HILL ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	MTPK	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	56	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	83
--------------------	----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	LUNTS HILL RD	Location	0.241 mi NW of Plains Rd
Bridge Number	0546	Route Number	1100314
Feature On	LUNTS HILL ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	MTPK	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	56	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	83
--------------------	----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	West Gardiner
Bridge Name	COBBOSSEECONTEE STREAM SB	Location	0.240 mi W of Plains Rd
Bridge Number	0547	Route Number	0095X
Feature On	I-95 (NB)	Bridge Region	2 - Mid-Coast Region
Feature Under	COBBOSSEECONTEE STREAM	Border Bridge	
Bridge Road Width (Feet)	30	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	58	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	6 - Satisfactory Condition (minor deterioration)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	79.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	PLAINS RD	Location	0.378 mi E of Small Rd
Bridge Number	1392	Route Number	1100304
Feature On	PLAINS RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	97	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor deterioration)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	714

INSPECTION AND APPRAISAL

Date of Inspection	05/07/20	Federal Sufficiency Rating	73.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	PLAINS RD	Location	0.378 mi E of Small Rd
Bridge Number	1392	Route Number	1100304
Feature On	PLAINS RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	97	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor deterioration)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	05/07/20	Federal Sufficiency Rating	73.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	PLAINS RD	Location	0.378 mi E of Small Rd
Bridge Number	1392	Route Number	1100304
Feature On	PLAINS RD	Bridge Region	2 - Mid-Coast Region
Feature Under	I-95	Border Bridge	
Bridge Road Width (Feet)	25	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	97	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor deterioration)	Channel Condition	N - Not Applicable
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1956	Annual Average Daily Traffic	4380

INSPECTION AND APPRAISAL

Date of Inspection	05/07/20	Federal Sufficiency Rating	73.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	West Gardiner
Bridge Name	BABCOCK	Location	LITCHFLD-W.GARDINER TL
Bridge Number	2029	Route Number	0009X
Feature On	RTE 126	Bridge Region	2 - Mid-Coast Region
Feature Under	COBBOSSECONTEE STR	Border Bridge	
Bridge Road Width (Feet)	24	Bridge or Minor Span	Bridge on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	50	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	4 - Poor Condition (advanced deterioration)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor deterioration)	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1931	Annual Average Daily Traffic	1799

INSPECTION AND APPRAISAL

Date of Inspection	04/23/20	Federal Sufficiency Rating	51.6
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Tee Beam
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	BUKER	Location	0.6 MI SE JCT OAK HILL RD
Bridge Number	2035	Route Number	1103714
Feature On	OAK HILL ROAD NORT	Bridge Region	2 - Mid-Coast Region
Feature Under	BUKER POND OUTLET	Border Bridge	
Bridge Road Width (Feet)	20	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	24	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	7 - Good Condition (some minor problems)	Culvert Condition	N - Not Applicable
Superstructure Condition	6 - Satisfactory Condition (minor deterioration)	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	4 - Poor Condition (advanced deterioration)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1950	Annual Average Daily Traffic	823

INSPECTION AND APPRAISAL

Date of Inspection	06/16/20	Federal Sufficiency Rating	42.7
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Posted for Load	Posted Weight (Tons)	34.00
POSTING TYPE			
4-Axle	YES		
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	MAXWELL	Location	1.7 MI. N TOWNLINE
Bridge Number	2524	Route Number	0197X
Feature On	RTE 197	Bridge Region	2 - Mid-Coast Region
Feature Under	MAXWELL BRK	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Minor Span on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	11	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	4 - Large spalls, heavy scaling, wide cracks
Superstructure Condition	N - Not Applicable	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1991	Annual Average Daily Traffic	1644

INSPECTION AND APPRAISAL

Date of Inspection	04/29/21	Federal Sufficiency Rating	63.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Culvert (includes frame culverts)
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	MILLS	Location	1.9 MI N'LY RTE'S 9 & 126
Bridge Number	2571	Route Number	1100353
Feature On	HALLOWELL RD	Bridge Region	2 - Mid-Coast Region
Feature Under	OUTLET OF WOODBURY POND	Border Bridge	
Bridge Road Width (Feet)	30	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	20	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	4 - Poor Condition (advanced deterioration)	Culvert Condition	N - Not Applicable
Superstructure Condition	4 - Poor Condition (advanced deterioration)	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	5 - Fair Condition (minor section loss)	Approach Condition	5 - Somewhat better than minimum adequacy to tolerate being left in place as is
Year Built	1938	Annual Average Daily Traffic	1360

INSPECTION AND APPRAISAL

Date of Inspection	06/16/20	Federal Sufficiency Rating	52
--------------------	----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Slab
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	West Gardiner
Bridge Name	TAPPAN	Location	LITCHFIELD-W GARD TL
Bridge Number	2834	Route Number	1100353
Feature On	HALLOWELL LITCHFIE	Bridge Region	2 - Mid-Coast Region
Feature Under	COBBOSSEE STREAM	Border Bridge	
Bridge Road Width (Feet)	28	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	60	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	6 - Satisfactory Condition (minor deterioration)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	4 - Poor Condition (advanced deterioration)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1964	Annual Average Daily Traffic	1075

INSPECTION AND APPRAISAL

Date of Inspection	07/09/21	Federal Sufficiency Rating	52.5
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	3		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HARVEY BRIDGE	Location	0.2 MI. N. OF TURNPIKE OP
Bridge Number	3195	Route Number	1102237
Feature On	STEVENSTOWN ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	POTTERS BROOK	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	10	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1955	Annual Average Daily Traffic	226

INSPECTION AND APPRAISAL

Date of Inspection	10/02/19	Federal Sufficiency Rating	96.9
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete continuous	Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	West Gardiner
Bridge Name	WHARF	Location	0.1 MI E OF BOG HILL RD
Bridge Number	3329	Route Number	1100316
Feature On	INDIANA & DENNIS R	Bridge Region	2 - Mid-Coast Region
Feature Under	COBBOSSEE STREAM	Border Bridge	
Bridge Road Width (Feet)	23	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	45	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	6 - Satisfactory Condition (minor deterioration)	Approach Condition	6 - Equal to present minimum criteria
Year Built	1936	Annual Average Daily Traffic	397

INSPECTION AND APPRAISAL

Date of Inspection	12/22/20	Federal Sufficiency Rating	77
--------------------	----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	HATCH	Location	0.3 MI EA STEVENSTOWN RD
Bridge Number	3591	Route Number	1100304
Feature On	POND RD SA 1	Bridge Region	2 - Mid-Coast Region
Feature Under	RING HILL BK (POTTERS BK)	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	10	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	7 - Shrinkage cracks, light scaling
Superstructure Condition	N - Not Applicable	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	1940	Annual Average Daily Traffic	699

INSPECTION AND APPRAISAL

Date of Inspection	10/02/19	Federal Sufficiency Rating	96.1
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Culvert (includes frame culverts)
Number of Main Spans	2		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	POTTER TOWN	Location	1.2 MI E HALLOWELL RD
Bridge Number	3924	Route Number	1100304
Feature On	MAGOTTY MEADOW RD	Bridge Region	2 - Mid-Coast Region
Feature Under	POTTERS STR	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Minor Span on State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	10.1	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	6 - Deterioration or initial disintegration
Superstructure Condition	N - Not Applicable	Channel Condition	8 - Banks are protected
Substructure Condition	N - Not Applicable	Approach Condition	6 - Equal to present minimum criteria
Year Built	1946	Annual Average Daily Traffic	848

INSPECTION AND APPRAISAL

Date of Inspection	04/29/21	Federal Sufficiency Rating	90.3
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Slab
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	Richmond
Bridge Name	THOROUGHFARE	Location	0.4 MI W OF JCT US 201
Bridge Number	3925	Route Number	2300362
Feature On	THOROUGHFARE ROAD	Bridge Region	2 - Mid-Coast Region
Feature Under	PLEASANT POND	Border Bridge	
Bridge Road Width (Feet)	24	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	65	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	4 - Poor Condition (advanced deterioration)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	5 - Bank eroded.. major damage
Substructure Condition	6 - Satisfactory Condition (minor deterioration)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	649

INSPECTION AND APPRAISAL

Date of Inspection	10/02/19	Federal Sufficiency Rating	75.1
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	PALMER	Location	.5 MI NW TOWNLINE
Bridge Number	5141	Route Number	0197X
Feature On	#197	Bridge Region	2 - Mid-Coast Region
Feature Under	Magotty Meadow Brook	Border Bridge	
Bridge Road Width (Feet)	0	Bridge or Minor Span	Minor Span on State Highway

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	17	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	N - Not Applicable	Culvert Condition	8 - No noticeable or noteworthy deficiencies
Superstructure Condition	N - Not Applicable	Channel Condition	8 - Banks are protected
Substructure Condition	N - Not Applicable	Approach Condition	8 - Equal to present desirable criteria
Year Built	2020	Annual Average Daily Traffic	1625

INSPECTION AND APPRAISAL

Date of Inspection	10/05/20	Federal Sufficiency Rating	92.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Concrete	Span Type	Culvert (includes frame culverts)
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	Litchfield	Town2	No Town2
Bridge Name	POND STREAM BRIDGE	Location	.1 Mi S of Woodfrog Lane
Bridge Number	6611	Route Number	1100359
Feature On	FERRIN RD	Bridge Region	2 - Mid-Coast Region
Feature Under	POND STREAM	Border Bridge	
Bridge Road Width (Feet)	22	Bridge or Minor Span	Minor Span on Town Way

CLASSIFICATION

Owner	Municipality	Maintainer	Municipality
Maximum Span Length (Feet)	19	Federal Bridge Indicator	N

AGE AND CONDITION

Deck Condition	8 - Very Good Condition (no problems noted)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	7 - Bank protection needs minor repairs
Substructure Condition	8 - Very Good Condition (no problems noted)	Approach Condition	8 - Equal to present desirable criteria
Year Built	2016	Annual Average Daily Traffic	91

INSPECTION AND APPRAISAL

Date of Inspection	01/30/20	Federal Sufficiency Rating	99
--------------------	----------	----------------------------	----

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	West Gardiner	Town2	Litchfield
Bridge Name	COBBOSSEECONTEE STREAM NB	Location	0.249 mi W of Plains Rd
Bridge Number	1500	Route Number	0095S
Feature On	I-95(SB)	Bridge Region	2 - Mid-Coast Region
Feature Under	COBBOSSEECONTEE STREAM	Border Bridge	
Bridge Road Width (Feet)	30	Bridge or Minor Span	Maine Turnpike Authority

CLASSIFICATION

Owner	State Toll Authority	Maintainer	State Toll Authority
Maximum Span Length (Feet)	58	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	5 - Fair Condition (minor section loss)	Culvert Condition	N - Not Applicable
Superstructure Condition	7 - Good Condition (some minor problems)	Channel Condition	6 - Bank slump. widespread minor damage
Substructure Condition	7 - Good Condition (some minor problems)	Approach Condition	8 - Equal to present desirable criteria
Year Built	1956	Annual Average Daily Traffic	4340

INSPECTION AND APPRAISAL

Date of Inspection	06/18/19	Federal Sufficiency Rating	81.4
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel continuous	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	4		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

MAINE PUBLIC BRIDGE STRUCTURES IN THE MUNICIPALITY OF **Litchfield**

[Link to Map Viewer](#)

IDENTIFICATION

Town	West Gardiner	Town2	Litchfield
Bridge Name	BURNHAM	Location	LITCHFIELD-W GARD TL
Bridge Number	2112	Route Number	1100304
Feature On	PLAINS ROAD-POND R	Bridge Region	2 - Mid-Coast Region
Feature Under	COBBOSSEE STREAM	Border Bridge	
Bridge Road Width (Feet)	24	Bridge or Minor Span	Bridge on Townway or State Aid Road

CLASSIFICATION

Owner	MaineDOT	Maintainer	MaineDOT
Maximum Span Length (Feet)	105	Federal Bridge Indicator	Y

AGE AND CONDITION

Deck Condition	8 - Very Good Condition (no problems noted)	Culvert Condition	N - Not Applicable
Superstructure Condition	8 - Very Good Condition (no problems noted)	Channel Condition	8 - Banks are protected
Substructure Condition	8 - Very Good Condition (no problems noted)	Approach Condition	8 - Equal to present desirable criteria
Year Built	2018	Annual Average Daily Traffic	727

INSPECTION AND APPRAISAL

Date of Inspection	09/21/20	Federal Sufficiency Rating	82.6
--------------------	----------	----------------------------	------

STRUCTURE TYPE AND MATERIAL

Span Material	Steel	Span Type	Stringer/Multi-beam or Girder
Number of Main Spans	1		

LOAD RATING AND POSTING

Posting Status	Open	Posted Weight (Tons)	
POSTING TYPE			
4-Axle			
One-Truck			
Spacing			

