

Structures in the Municipality of Benton

CONDITION RATINGS

TOWN1: <input type="text" value="Benton"/>	TOWN2: <input type="text" value="Fairfield"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1456"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value=".1 MI NE US #201"/>	YEAR BUILT: <input type="text" value="1964"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="C.A. CLAUSON SB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="5"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I-95 SB"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="1029"/>	DATE OF INSPECTION: <input type="text" value="1/27/2011"/>
FEATURE UNDER: <input type="text" value="KENNEBEC RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="75.2"/>
ROAD INV NO: <input type="text" value="000000095S"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3968"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1.3 MI N OF JCT RTE 139"/>	YEAR BUILT: <input type="text" value="1963"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: BLACKS MILLS	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE 104"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="80"/>	DATE OF INSPECTION: <input type="text" value="7/16/2012"/>
FEATURE UNDER: <input type="text" value="MARTIN STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="65.9"/>
ROAD INV NO: <input type="text" value="000000104X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00104"/>		
ROAD WIDTH: <input type="text" value="26"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1087"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="RT-201 FST LEFT OVER BRG"/>	YEAR BUILT: <input type="text" value="1916"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: ISLAND AVE OVERPASS	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="6 Railroad"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="6 Railroad"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="MAINE CENTRAL RAIL"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="105"/>	DATE OF INSPECTION: <input type="text" value="12/5/2012"/>
FEATURE UNDER: <input type="text" value="ISLAND AVENUE"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-2"/>
ROAD INV NO: <input type="text"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1092"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="RT-201AT BRIDGE FAIRFIELD"/>	YEAR BUILT: <input type="text" value="1917"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="MAIN STREET"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="6 Railroad"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="6 Railroad"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="MAINE CENTRAL RAIL"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="110"/>	DATE OF INSPECTION: <input type="text" value="12/5/2012"/>
FEATURE UNDER: <input type="text" value="MAIN STREET"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-2"/>
ROAD INV NO: <input type="text"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="1522"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.1 MI E OF JCT RTE 201"/>	YEAR BUILT: <input type="text" value="2003"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="KENNEBEC RIVER, CENTER"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="RTE 11, 100, & 139"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="390"/>	DATE OF INSPECTION: <input type="text" value="1/25/2013"/>
FEATURE UNDER: <input type="text" value="C CHANNEL KENNEBEC"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="86.6"/>
ROAD INV NO: <input type="text" value="000000011X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00011"/>		
ROAD WIDTH: <input type="text" value="39"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="1523"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="150 FT E OF JCT US 201"/>	YEAR BUILT: <input type="text" value="2003"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="KENNEBEC RIVER, WEST"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="RTE 11, 100, & 139"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="158"/>	DATE OF INSPECTION: <input type="text" value="9/25/2012"/>
FEATURE UNDER: <input type="text" value="W CHANNEL KENNEBEC"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="92"/>
ROAD INV NO: <input type="text" value="000000011X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00011"/>		
ROAD WIDTH: <input type="text" value="45"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="2318"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="5.5 MI N OF I-95 OVER"/>	YEAR BUILT: <input type="text" value="1991"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="GOODWILL FARM"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="ROUTES US201& 23"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="58"/>	DATE OF INSPECTION: <input type="text" value="7/17/2012"/>
FEATURE UNDER: <input type="text" value="MARTIN STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="96.2"/>
ROAD INV NO: <input type="text" value="000000201X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00201"/>		
ROAD WIDTH: <input type="text" value="44"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="Benton"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="3106"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.2 MI E OF JCT RTE 201"/>	YEAR BUILT: <input type="text" value="2003"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="KENNEBEC RIVER, EAST"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="33"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="RTE 11, 100, & 139"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="361"/>	DATE OF INSPECTION: <input type="text" value="1/25/2013"/>
FEATURE UNDER: <input type="text" value="E CHANNEL KENNEBEC"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="86.6"/>
ROAD INV NO: <input type="text" value="000000011X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00011"/>		
ROAD WIDTH: <input type="text" value="39"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="1039"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="5.5 MI W RTE #23"/>	YEAR BUILT: <input type="text" value="1981"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="PARKER"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="MARTIN STR RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="15"/>	DATE OF INSPECTION: <input type="text" value="5/11/2012"/>
FEATURE UNDER: <input type="text" value="MARTIN STR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="88.5"/>
ROAD INV NO: <input type="text" value="0002500547"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="3707"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="RT-201 5MI JUNE I95"/>	YEAR BUILT: <input type="text" value="1948"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="WYMAN CROSSING UNDERPA"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="6 Railroad"/>	SPAN TYPE: <input type="text" value="2 Girder - floor beam"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="6 Railroad"/>	NUMBER OF MAIN SPANS: <input type="text" value="2"/>	APPROACH CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
FEATURE ON: <input type="text" value="MAINE CENTRAL RAIL"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="179"/>	DATE OF INSPECTION: <input type="text" value="12/5/2012"/>
FEATURE UNDER: <input type="text" value="STATE ROUTE 201"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="-2"/>
ROAD INV NO: <input type="text"/>	POSTING TYPE: <input type="text" value="3 Underclearance Limit"/>	
ROUTE NO: <input type="text"/>		
ROAD WIDTH: <input type="text"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="6428"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value=".3 MI. N RTE 139"/>	YEAR BUILT: <input type="text" value="2005"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="Emery Brook #2"/>	SPAN MATERIAL: <input type="text" value="5 Aluminum"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="Eskelund Drive"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="10"/>	DATE OF INSPECTION: <input type="text" value="4/27/2011"/>
FEATURE UNDER: <input type="text" value="Emery Brook"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="98.9"/>
ROAD INV NO: <input type="text" value="0003200467"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3969"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.5 MI S OF NORRIDGEWOCK"/>	YEAR BUILT: <input type="text" value="1952"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="LARONE"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="ROUTE 139"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="33"/>	DATE OF INSPECTION: <input type="text" value="11/9/2012"/>
FEATURE UNDER: <input type="text" value="MARTIN STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="96.1"/>
ROAD INV NO: <input type="text" value="000000139X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00139"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5819"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="1 MI W OF JCT RTE US 201"/>	YEAR BUILT: <input type="text" value="1960"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: WESTERN AVENUE / I95	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="5"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="ROUTE 139"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="281"/>	DATE OF INSPECTION: <input type="text" value="1/2/2013"/>
FEATURE UNDER: <input type="text" value="INTERSTATE 95"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="71"/>
ROAD INV NO: <input type="text" value="000000139X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00139"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5820"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="2 MI N TOWNLINE"/>	YEAR BUILT: <input type="text" value="1960"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="I-95 OVER 201"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="I-95"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="165"/>	DATE OF INSPECTION: <input type="text" value="11/8/2012"/>
FEATURE UNDER: <input type="text" value="ROUTE 201"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="86.6"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="96"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="5999"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.1 MI E OF 95 / US201"/>	YEAR BUILT: <input type="text" value="1964"/>	DECK CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRDGNAME: <input type="text" value="I95 / M C RR"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="INTERSTATE 95"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="129"/>	DATE OF INSPECTION: <input type="text" value="11/7/2011"/>
FEATURE UNDER: <input type="text" value="M C RR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="79.4"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="66"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="Benton"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="6000"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="0.2 MI NE 95 / US201"/>	YEAR BUILT: <input type="text" value="1964"/>	DECK CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
BRDGNAME: <input type="text" value="C.A. CLAUSON NB"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="5"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="I-95 NORTHBOUND"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="939"/>	DATE OF INSPECTION: <input type="text" value="2/5/2013"/>
FEATURE UNDER: <input type="text" value="KENNEBEC RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="76.5"/>
ROAD INV NO: <input type="text" value="000000095X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00095"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="6218"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1.0*MI*NO*TOWNLINe"/>	YEAR BUILT: <input type="text" value="1965"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="FISH BROOK PIPE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="RTE #104,139"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="12"/>	DATE OF INSPECTION: <input type="text" value="5/19/2011"/>
FEATURE UNDER: <input type="text" value="FISH BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="86.7"/>
ROAD INV NO: <input type="text" value="000000104X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00104"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="6427"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value=".1 m So of int. w/ Rt 201"/>	YEAR BUILT: <input type="text" value="2005"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="Emery Brook #1"/>	SPAN MATERIAL: <input type="text" value="3 Wood"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="Eskelund Drive"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="72"/>	DATE OF INSPECTION: <input type="text" value="4/27/2011"/>
FEATURE UNDER: <input type="text" value="Emery Brook"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="93"/>
ROAD INV NO: <input type="text" value="0003200467"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="30"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text"/>		

Structures in the Municipality of Fairfield

CONDITION RATINGS

TOWN1: <input type="text" value="Fairfield"/>	TOWN2: <input type="text" value="Clinton"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="3389"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.1 MI E OF JCT RTE 201"/>	YEAR BUILT: <input type="text" value="1983"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="GEORGE W. HINCKLEY"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="4"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="ROUTE 23"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="643"/>	DATE OF INSPECTION: <input type="text" value="7/16/2012"/>
FEATURE UNDER: <input type="text" value="KENNEBEC RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="95.7"/>
ROAD INV NO: <input type="text" value="000000023X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00023"/>		
ROAD WIDTH: <input type="text" value="33"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		