

## Structures in the Municipality of Gorham

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Gorham"/>	<b>TOWN2:</b> <input type="text" value="Standish"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRIDGE NO.:</b> <input type="text" value="0228"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>LOCATION:</b> <input type="text" value="INVENTORY ROAD 666"/>	<b>YEAR BUILT:</b> <input type="text" value="1960"/>	<b>DECK CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>BRDGNAME:</b> <input type="text" value="SHAWS MILL"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="8"/> <input type="text" value="Very Good"/>
<b>OWNER:</b> <input type="text" value="4 Municipal"/>	<b>SPAN TYPE:</b> <input type="text" value="4 Culvert"/>	<b>CULVERT CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>MAINTAINER:</b> <input type="text" value="4 Municipal"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text"/> <input type="text"/>
<b>FEATURE ON:</b> <input type="text" value="MOODY RD"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="9"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="5/21/1984"/>
<b>FEATURE UNDER:</b> <input type="text" value="WORTH BRANCH LITTLE"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="96.8"/>
<b>ROAD INV NO:</b> <input type="text" value="0000500666"/>	<b>POSTING TYPE:</b> <input type="text"/>	
<b>ROUTE NO:</b> <input type="text" value="00000"/>		
<b>ROAD WIDTH:</b> <input type="text" value="0"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="N"/>	
<b>CLASS:</b> <input type="text"/>		

## Structures in the Municipality of Hollis

### CONDITION RATINGS

<b>TOWN1:</b> Hollis	<b>TOWN2:</b> Standish	<b>SUBSTRUCTURE CONDITION:</b> 5 Fair
<b>BRIDGE NO.:</b> 2190	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 4 Poor
<b>LOCATION:</b> STANDISH TOWNLINE	<b>YEAR BUILT:</b> 1938	<b>DECK CONDITION:</b> 3 Serious
<b>BRDGNAME:</b> BONNY EAGLE COVERED	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 5 Truss	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> ROUTE 35	<b>STRUCTURE LENGTH IN FEET:</b> 160	<b>DATE OF INSPECTION:</b> 1/7/2012
<b>FEATURE UNDER:</b> SACO RIVER	<b>POSTING STATUS:</b> 3 Posted	<b>FEDERAL SUFFICIENCY RATING:</b> 20.8
<b>ROAD INV NO:</b> 00000035X	<b>POSTING TYPE:</b> 2 One truck at a time limit	
<b>ROUTE NO:</b> 00035		
<b>ROAD WIDTH:</b> 22 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Limington

### CONDITION RATINGS

<b>TOWN1:</b> <input type="text" value="Limington"/>	<b>TOWN2:</b> <input type="text" value="Standish"/>	<b>SUBSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>BRIDGE NO.:</b> <input type="text" value="3328"/>	<b>BRIDGE REGION:</b> <input type="text" value="Southern"/>	<b>SUPERSTRUCTURE CONDITION:</b> <input type="text" value="4"/> <input type="text" value="Poor"/>
<b>LOCATION:</b> <input type="text" value="4 MI S'LY JCT RTE 113"/>	<b>YEAR BUILT:</b> <input type="text" value="1936"/>	<b>DECK CONDITION:</b> <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
<b>BRDGNAME:</b> <input type="text" value="STEEP FALLS"/>	<b>SPAN MATERIAL:</b> <input type="text" value="1 Steel"/>	<b>CHANNEL CONDITION:</b> <input type="text" value="7"/> <input type="text" value="Good"/>
<b>OWNER:</b> <input type="text" value="1 State DOT"/>	<b>SPAN TYPE:</b> <input type="text" value="5 Truss"/>	<b>CULVERT CONDITION:</b> <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
<b>MAINTAINER:</b> <input type="text" value="1 State DOT"/>	<b>NUMBER OF MAIN SPANS:</b> <input type="text" value="1"/>	<b>APPROACH CONDITION:</b> <input type="text" value="5"/> <input type="text" value="Fair"/>
<b>FEATURE ON:</b> <input type="text" value="RTE 11"/>	<b>STRUCTURE LENGTH IN FEET:</b> <input type="text" value="226"/>	<b>DATE OF INSPECTION:</b> <input type="text" value="11/10/2010"/>
<b>FEATURE UNDER:</b> <input type="text" value="SACO RIVER"/>	<b>POSTING STATUS:</b> <input type="text" value="1 Open"/>	<b>FEDERAL SUFFICIENCY RATING:</b> <input type="text" value="44"/>
<b>ROAD INV NO:</b> <input type="text" value="000000011X"/>	<b>POSTING TYPE:</b> <input type="text" value="0 None needed"/>	
<b>ROUTE NO:</b> <input type="text" value="00011"/>		
<b>ROAD WIDTH:</b> <input type="text" value="22"/> FEET	<b>FEDERAL BRIDGE INDICATOR:</b> <input type="text" value="Y"/>	
<b>CLASS:</b> <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 5926	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 2.5 MI N 35	<b>YEAR BUILT:</b> 1960	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> STATION 135	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 3 Serious
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 4 Poor
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> 114	<b>STRUCTURE LENGTH IN FEET:</b> 12	<b>DATE OF INSPECTION:</b> 5/23/2011
<b>FEATURE UNDER:</b> RICH MILL BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 72.9
<b>ROAD INV NO:</b> 000000114X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00114		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 5634	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> 2 MI. W. SACO RD.	<b>YEAR BUILT:</b> 1955	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> JOSIES BROOK 2	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 4 Municipal	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 5 Fair
<b>MAINTAINER:</b> 4 Municipal	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> RIVER ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 14	<b>DATE OF INSPECTION:</b> 5/2/2012
<b>FEATURE UNDER:</b> JOSIES BK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 88.9
<b>ROAD INV NO:</b> 0000500657	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON TOWN WAY		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 9 Excellent
<b>BRIDGE NO.:</b> 3907	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 9 Excellent
<b>LOCATION:</b> 0.6 MI NE JCT RTE 114	<b>YEAR BUILT:</b> 2011	<b>DECK CONDITION:</b> 9 Excellent
<b>BRDGNAME:</b> SEBAGO LAKE ROAD CROSSI	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> N Not Applicable
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> ROUTE 35	<b>STRUCTURE LENGTH IN FEET:</b> 75	<b>DATE OF INSPECTION:</b> 2/22/2012
<b>FEATURE UNDER:</b> M C RR	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 77.1
<b>ROAD INV NO:</b> 000000035X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00035		
<b>ROAD WIDTH:</b> 26 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> Windham	<b>SUBSTRUCTURE CONDITION:</b> 9 Excellent
<b>BRIDGE NO.:</b> 3857	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 9 Excellent
<b>LOCATION:</b> 0.9 MI W'LY RTE 302	<b>YEAR BUILT:</b> 2010	<b>DECK CONDITION:</b> 9 Excellent
<b>BRDGNAME:</b> WHITES	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 9 Excellent
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 3	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> WHITES BRIDGE ROAD	<b>STRUCTURE LENGTH IN FEET:</b> 155	<b>DATE OF INSPECTION:</b> 6/15/2011
<b>FEATURE UNDER:</b> SEBAGO LAKE	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 92.7
<b>ROAD INV NO:</b> 0000500679	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 29 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 7 Good
<b>BRIDGE NO.:</b> 3406	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 8 Very Good
<b>LOCATION:</b> 0.1 MIE OF HOLLIS T.L.	<b>YEAR BUILT:</b> 1990	<b>DECK CONDITION:</b> 7 Good
<b>BRDGNAME:</b> BONNY EAGLE	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 8 Very Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 3	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> ROUTE 35	<b>STRUCTURE LENGTH IN FEET:</b> 252	<b>DATE OF INSPECTION:</b> 8/19/2011
<b>FEATURE UNDER:</b> ELY CHANNEL SACO RI	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 97
<b>ROAD INV NO:</b> 000000035X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00035		
<b>ROAD WIDTH:</b> 32 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> N Not Applicable
<b>BRIDGE NO.:</b> 3093	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> N Not Applicable
<b>LOCATION:</b> .5 MI S TOWNLINE	<b>YEAR BUILT:</b> 1961	<b>DECK CONDITION:</b> N Not Applicable
<b>BRDGNAME:</b> TUCKER BROOK	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 4 Culvert	<b>CULVERT CONDITION:</b> 7 Good
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> 1113	<b>STRUCTURE LENGTH IN FEET:</b> 12	<b>DATE OF INSPECTION:</b> 1/7/2013
<b>FEATURE UNDER:</b> TUCKER BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 95.7
<b>ROAD INV NO:</b> 000000011X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00011		
<b>ROAD WIDTH:</b> 0 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 4 Poor
<b>BRIDGE NO.:</b> 2914	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> 1.8 MI N25	<b>YEAR BUILT:</b> 1919	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> WATCHIC	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 3 Serious
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 7 Rigid Frame	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> 113	<b>STRUCTURE LENGTH IN FEET:</b> 16	<b>DATE OF INSPECTION:</b> 5/20/2011
<b>FEATURE UNDER:</b> PAGE BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 47.4
<b>ROAD INV NO:</b> 000000113X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00113		
<b>ROAD WIDTH:</b> 28 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE HIGHWAY		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>BRIDGE NO.:</b> 2717	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> .1 MI. E. RTE 114	<b>YEAR BUILT:</b> 1931	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> RICH MILL	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 4 Municipal	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 4 Municipal	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 5 Fair
<b>FEATURE ON:</b> MOSLEY RD	<b>STRUCTURE LENGTH IN FEET:</b> 18	<b>DATE OF INSPECTION:</b> 12/6/2011
<b>FEATURE UNDER:</b> RICH MILL BROOK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 69.5
<b>ROAD INV NO:</b> 0000502008	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 20 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON TOWN WAY		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> Windham	<b>SUBSTRUCTURE CONDITION:</b> 7 Good
<b>BRIDGE NO.:</b> 2264	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 7 Good
<b>LOCATION:</b> 0.5 MI SW JCT 302	<b>YEAR BUILT:</b> 1987	<b>DECK CONDITION:</b> 7 Good
<b>BRDGNAME:</b> EEL WEIR	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 8 Very Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> ROUTE 35	<b>STRUCTURE LENGTH IN FEET:</b> 101	<b>DATE OF INSPECTION:</b> 12/19/2012
<b>FEATURE UNDER:</b> PRESUMPCOT RV	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 95.3
<b>ROAD INV NO:</b> 000000035X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00035		
<b>ROAD WIDTH:</b> 33 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> Limington	<b>SUBSTRUCTURE CONDITION:</b> 8 Very Good
<b>BRIDGE NO.:</b> 2252	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 8 Very Good
<b>LOCATION:</b> 1.5 MI SE JCT 11	<b>YEAR BUILT:</b> 1978	<b>DECK CONDITION:</b> 7 Good
<b>BRDGNAME:</b> EAST LIMINGTON	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 3	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> ROUTE 25	<b>STRUCTURE LENGTH IN FEET:</b> 346	<b>DATE OF INSPECTION:</b> 6/18/2012
<b>FEATURE UNDER:</b> SACO RIVER	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 96.5
<b>ROAD INV NO:</b> 000000025X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00025		
<b>ROAD WIDTH:</b> 39 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON STATE HIGHWAY		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 7 Good
<b>BRIDGE NO.:</b> 2123	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 7 Good
<b>LOCATION:</b> .3 MI SW'LY WINDHAM T.L.	<b>YEAR BUILT:</b> 1987	<b>DECK CONDITION:</b> 7 Good
<b>BRDGNAME:</b> CANAL	<b>SPAN MATERIAL:</b> 1 Steel	<b>CHANNEL CONDITION:</b> 7 Good
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 1 Girder	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 7 Good
<b>FEATURE ON:</b> ROUTE 35	<b>STRUCTURE LENGTH IN FEET:</b> 130	<b>DATE OF INSPECTION:</b> 12/19/2012
<b>FEATURE UNDER:</b> CANAL OUTLET OF SEB	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 95.3
<b>ROAD INV NO:</b> 000000035X	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00035		
<b>ROAD WIDTH:</b> 33 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> Y	
<b>CLASS:</b> BRIDGE ON TOWN WAY OR STATE AID ROAD		

## Structures in the Municipality of Standish

### CONDITION RATINGS

<b>TOWN1:</b> Standish	<b>TOWN2:</b> No town 2	<b>SUBSTRUCTURE CONDITION:</b> 6 Satisfactory
<b>BRIDGE NO.:</b> 2001	<b>BRIDGE REGION:</b> Southern	<b>SUPERSTRUCTURE CONDITION:</b> 5 Fair
<b>LOCATION:</b> 2 MI S JCT 25	<b>YEAR BUILT:</b> 1927	<b>DECK CONDITION:</b> 5 Fair
<b>BRDGNAME:</b> AARON NASON	<b>SPAN MATERIAL:</b> 2 Concrete	<b>CHANNEL CONDITION:</b> 6 Satisfactory
<b>OWNER:</b> 1 State DOT	<b>SPAN TYPE:</b> 3 Slab	<b>CULVERT CONDITION:</b> N Not Applicable
<b>MAINTAINER:</b> 1 State DOT	<b>NUMBER OF MAIN SPANS:</b> 1	<b>APPROACH CONDITION:</b> 6 Satisfactory
<b>FEATURE ON:</b> SACO RD	<b>STRUCTURE LENGTH IN FEET:</b> 19	<b>DATE OF INSPECTION:</b> 5/20/2011
<b>FEATURE UNDER:</b> JOSIES BK	<b>POSTING STATUS:</b> 1 Open	<b>FEDERAL SUFFICIENCY RATING:</b> 68
<b>ROAD INV NO:</b> 0000500661	<b>POSTING TYPE:</b> 0 None needed	
<b>ROUTE NO:</b> 00000		
<b>ROAD WIDTH:</b> 25 FEET	<b>FEDERAL BRIDGE INDICATOR:</b> N	
<b>CLASS:</b> MINOR SPAN ON STATE AID ROAD		