

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input type="text" value="Wiscasset"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5779"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="2.5 MI NW RT 27"/>	YEAR BUILT: <input type="text" value="1998"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: STINSON	SPAN MATERIAL: <input type="text" value="5 Aluminum"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="WILLOW LANE"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="12/3/2012"/>
FEATURE UNDER: <input type="text" value="MOUNTSWEAG STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="72.9"/>
ROAD INV NO: <input type="text" value="0001500356"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input type="text" value="Wiscasset"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5491"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1.3 MI W JCT 1"/>	YEAR BUILT: <input type="text" value="1995"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="MONTSWEAG STREAM"/>	SPAN MATERIAL: <input type="text" value="5 Aluminum"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="LOWELL TOWN RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="12/3/2012"/>
FEATURE UNDER: <input type="text" value="MONTSWEAG STREAM"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99.8"/>
ROAD INV NO: <input type="text" value="0001500360"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Wiscasset"/>	TOWN2: <input style="width: 100px;" type="text" value="Westport"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="3180"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
LOCATION: <input style="width: 130px;" type="text" value="TOWNLINE"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1974"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
BRDGNAME: WESTPORT-WISCASSET	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="3"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
FEATURE ON: <input style="width: 100px;" type="text" value="ROUTE 144"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="675"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="11/7/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="COWSWEAG NARROWS"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="73.6"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="000000144X"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00144"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input type="text" value="Wiscasset"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="2607"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="2.0 MI. N. U.S. 1"/>	YEAR BUILT: <input type="text" value="1936"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="NEW ROAD"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="ROUTE 218"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="23"/>	DATE OF INSPECTION: <input type="text" value="9/20/2012"/>
FEATURE UNDER: <input type="text" value="MILL(POLLY CLARK) CR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="83.9"/>
ROAD INV NO: <input type="text" value="000000218X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00218"/>		
ROAD WIDTH: <input type="text" value="25"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Wiscasset"/>	TOWN2: <input style="width: 100px;" type="text" value="Edgecomb"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="2262"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
LOCATION: <input style="width: 120px;" type="text" value="EDGEComb-WISCASSET"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1983"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
BRDGNAME: DONALD E. DAVEY	SPAN MATERIAL: <input style="width: 100px;" type="text" value="7 Precast Concrete"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 60px;" type="text" value="Good"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="23"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="US ROUTE 1"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="2720"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="11/7/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="SHEEPSCOT RIVER"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="82.9"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="00000001X"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00001"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="36"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input type="text" value="Wiscasset"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="0626"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="0.2 MI E RTE 218"/>	YEAR BUILT: <input type="text" value="1950"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: <input type="text" value="CLARKE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="CLARK POINT RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="26"/>	DATE OF INSPECTION: <input type="text" value="7/30/2012"/>
FEATURE UNDER: <input type="text" value="TIDEWATER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="85.2"/>
ROAD INV NO: <input type="text" value="0001500604"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="18"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		

Structures in the Municipality of Wiscasset

CONDITION RATINGS

TOWN1: <input type="text" value="Wiscasset"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="0625"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="0.1 MI E RTE 218"/>	YEAR BUILT: <input type="text" value="1995"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: THOMPSON	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="OLD SHEEPSCOT ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="38"/>	DATE OF INSPECTION: <input type="text" value="12/10/2012"/>
FEATURE UNDER: <input type="text" value="POLLY CLARK(MILL) CR"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="86.5"/>
ROAD INV NO: <input type="text" value="0001501202"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="24"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Woolwich

CONDITION RATINGS

TOWN1: <input type="text" value="Woolwich"/>	TOWN2: <input type="text" value="Wiscasset"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="2577"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="ON TOWNLINE"/>	YEAR BUILT: <input type="text" value="1931"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="MONTSWEAG FARM"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="ROUTE US 1"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="23"/>	DATE OF INSPECTION: <input type="text" value="11/7/2012"/>
FEATURE UNDER: <input type="text" value="MONTSWEAG BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="47.2"/>
ROAD INV NO: <input type="text" value="00000001X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00001"/>		
ROAD WIDTH: <input type="text" value="42"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Woolwich

CONDITION RATINGS

TOWN1: <input type="text" value="Woolwich"/>	TOWN2: <input type="text" value="Wiscasset"/>	SUBSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRIDGE NO.: <input type="text" value="0627"/>	BRIDGE REGION: <input type="text" value="Mid-Coast"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="0.8 MI W OLD BATH RD"/>	YEAR BUILT: <input type="text" value="1991"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: NEW	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="3"/> <input type="text" value="Serious"/>
FEATURE ON: <input type="text" value="OLD STAGE ROAD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="38"/>	DATE OF INSPECTION: <input type="text" value="12/10/2012"/>
FEATURE UNDER: <input type="text" value="MONSTWEAG BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="68.9"/>
ROAD INV NO: <input type="text" value="0002300379"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="20"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		